

EXPRESSCLUSTER X

Ultimate Integrated Solution
for Business Continuity & Disaster Recovery

July, 2019

NEC Corporation,
Cloud Platform Division,
(EXPRESSCLUSTER)



Orchestrating a brighter world

NEC brings together and integrates technology and expertise to create the ICT-enabled society of tomorrow.

We collaborate closely with partners and customers around the world, orchestrating each project to ensure all its parts are fine-tuned to local needs.

Every day, our innovative solutions for society contribute to greater safety, security, efficiency and equality, and enable people to live brighter lives.


Index

1. Customer Challenges
2. Key Advantages
3. Other Functions / Features
4. Successful Case Studies

Requirement for HA Cluster

Availability and reliability of ICT is one of the most important issue in IT related strategies

- Dependency/importance of ICT in business activity is increasing.
- Unexpected disruption of IT system directly affects business operation and service provision, leading to financial loss such as business opportunity and credibility loss



Reduction of revenue



Credibility loss



Business opportunity loss


What is EXPRESSCLUSTER X?

EXPRESSCLUSTER X is a “High Availability Clustering Software” which is designed to maximize uptime for any critical system.

① Assured failure detection of wide range of system resources such as network, hardware, OS, and applications


② Automatic / Quick application-level failover

③ Data mirroring between clustered servers (also supports shared disk type clustering)



Market Positioning of EXPRESSCLUSTER

EXPRESSCLUSTER is Categorized as Clustering Software



1. Customer Challenges

Negative Impact of System Disruption

System disruption impacts not only your company, but also other companies or social infrastructure and causes serious damage to your company management.

Negative Impacts

by Enterprise Business

Industry	Negative Impacts
Financial	<ul style="list-style-type: none"> • Social impact to nation's economy • Damages to company's credibility
Manufacturing	<ul style="list-style-type: none"> • Economic loss due to stoppage of production activity • Damage to credibility due to having negative impact to related companies • Opportunity loss
Retail	<ul style="list-style-type: none"> • Economic loss due to stoppage of sales activities

by Type of System

System	Negative Impacts
Mail system	<ul style="list-style-type: none"> • Loss of productivity due to communication issue
Production system	<ul style="list-style-type: none"> • Opportunity loss due to disruption of manufacturing activities • Damage to customer satisfaction
Ordering system	<ul style="list-style-type: none"> • Opportunity loss due to disruption of receiving orders from customers • Damage to customer satisfaction
File Server	<ul style="list-style-type: none"> • Loss of productivity

Economic Loss Caused by System Disruption

Average amount of economic loss per 1 hour downtime

Domain	Amount of Loss/hour (US\$)
Financial	9,997,500
Retail	397,500
Healthcare	157,500
Manufacturing	59,930

Source : IDC Research

Other Negative Impacts


- Resource / Cost issue for recovering
 - Restitution to customer
 - Loss of customer/partner goodwill
 - Brand damage
 - Driving business to competitors
 - Bad publicity/press
 - Administrative penalty
- etc ...



Cause of System Disruption

Major causes of system disruption

- Site failure due to natural disaster or fire etc
- Hardware failure such as servers / storages failure
- Software failure such as OS, middleware, business application failures
- Access failure to disk
- Network failure
- Temporary system outage due to planned maintenance



Cause of system disruption ranges from software failure to natural disaster. Minimizing these risks will lead to maximizing the company revenue!



2. Key Advantages

Key Advantages Of EXPRESSCLUSTER X

Reliable

Provides 99.99% availability to mission critical systems with its sophisticated features / quality accumulated in 23 years experience

Flexible

Supports various platforms / applications / configurations in order to fit within any kind of system environments


Leading-Edge

Immediate support of up-to-date technologies in order to meet new customer demands

Reliable: Long History

- EXPRESSCLUSTER X was released in Oct, 1996 which was earlier than other major clustering solutions.
- The product has been improved continuously based on direct feedback from the market


 EXPRESSCLUSTER X



Flexible-1: Supported Cluster Configuration


Supporting three different data sharing mechanism

1) Shared disk type



- For larger data volume
- High reliability provided by storage system
- Simple configuration

2) Data mirroring type



- For less data volume
- Lower cost
- Avoiding HDD to be the Single Point Of Failure

3) Hybrid clustering type



- Combination of shared disk & data mirroring type
- Provides higher flexibility / operability for WAN clustering (disaster recovery)

Flexible-2: No Hardware / Application Dependency

EXPRESSCLUSTER X supports all types of IA servers and storages

Server	Storage
<ul style="list-style-type: none">• NEC: Express5800• HPE: ProLiant• DELL: PowerEdge• Fujitsu: PRIMERGY... and more	<ul style="list-style-type: none">• NEC: NEC Storage• HP: SmartArray• NetApp: FAS2040• EMC: Symmetrix... and more

EXPRESSCLUSTER X supports various applications

Database	Oracle, SQL Server, MySQL, DB2, Sybase, etc...
Backup	ARCserve, BackupExec, NetBackup, NetVault, NTBackup
Web Server	IIS, ExpressMail, apache, httpd, sendmail, Postfix
Groupware	Exchange, Star Office, Domino
Security	OfficeScan, ServerProtect, InfoCage
System Management	MasterScope, Tivoli, OpenView
Application Server	WebOTX, WebLogic, WebSphere, OracleAS, JBOSS
ERP	SAP, TASY

... and more!

Leading-Edge-1: Virtualization Supported

In order to meet rapidly growing demand for virtualization, EXPRESSCLUSTER X already supports various virtualization technologies

- VMware vSphere
- Microsoft Hyper-V
- Citrix XenServer
- Linux KVM


"2010 will be the first year in which the number of deployed virtual servers will outnumber the number of physical ones."

-- IDC Analyst : Cindy Borovick



Leading-Edge-2: Disaster Recovery Supported

EXPRESSCLUSTER X has been offering WAN clustering feature since 2004 which enables lower-cost disaster recovery solution



Leading-Edge-3: Cloud Environment Supported

Redundancy is becoming more important in terms of the challenges for cloud utilization such as:

- Applying cloud service SLA (Service Level Agreement)
- Measures against planned outage
- Disaster Recovery

EXPRESSCLUSTER supports many Cloud Services (IaaS):



※Cloud environment with the operation record by EXPRESSCLUSTER X.

Setup Guide: <https://www.nec.com/en/global/prod/expresscluster/en/support/Setup.html#Cloud>

3. Other Functions / Features

Supported Configuration / Failover Scenario

Monitoring Capabilities

Prevention of Split-Brain

Disaster Recovery Capabilities

Virtualization Supported


Cloud Environment Supported

Usability / Operability


System Requirements

Shared Disk Clustering

Shared disk type clustering offers best reliable storage system and high performance with supporting larger data !





- Maximum 32 nodes in a single cluster is supported
- $M + n$ clustering (M active servers and n standby servers) is also supported!



Data Mirroring Clustering

Data mirroring type clustering does NOT require any external storage device and thus offers high cost performance !

- Data in local HDD of active server is real-time mirrored to local HDD of standby server.
- Lower cost, small-footprint HA solution.




Hybrid Clustering

Combined configuration of shared disk clustering and data mirroring clustering for disaster recovery scenario

2 failover scenarios for higher operability:

- In case of component failure such as HW, OS, application failure, application will failed over to standby server locating in same site
- In case of site down due to disaster, fire etc, application will failed over to standby server located in backup site

Data stored in SAN will be mirrored to backup site in either synchronous / asynchronous mode




Supported Failover Scenario

Supports various configuration flexibly

1) *Active - Standby*




2) *Active - Active*



3) *M+1 Standby*



4) *M+n Standby*




... *and more !*



Failover Process

Takes only several ten seconds for switching server



Minimizing Downtime During Planned Maintenance

Major Causes Of System Disruption

Unexpected Failure : 24%

broken down as;



- 9% : OS / Driver failure
- 6% : Application error
- 5% : Hardware failure
- 4% : Other failures

Planned Maintenance : 76%


broken down as;

- 37% : OS Upgrade / Service Pack / Patch application or OS restart relating to these works
- 13% : Application installation and maintenance
- 12% : OS restart relating to configuration change of OS
- 7% : OS restart relating to hardware configuration changes
- 7% : Other OS restart

Source : Microsoft Research



(EXPRESSCLUSTER X Console)



System downtime caused by planned maintenance can be also minimized by switching active server with simple operation!

Manual failover can be done with simple operation!

Other Functions / Features

Supported Configuration / Failover Scenario

Monitoring Capabilities

Prevention of Split-Brain

Disaster Recovery Capabilities

Virtualization Supported

Cloud Environment Supported


Usability / Operability

System Requirements

Various Monitoring Targets (AP, OS, HW, NW)

In order to minimize the risk of system disruption, application failover should be done in any kind of failures!

EXPRESSCLUSTER X's Monitoring Capability



EXPRESSCLUSTER X monitors wide range of resources from NW to application and do not miss a failure which leads to system disruption!

Deeper Application Monitoring

Dedicated monitoring agent* for major applications detects not only application termination, but also abnormal status or hang-up status of the application through its proactive response monitoring.

* Offered as optional add-on

without Monitoring Agent



Termination of the application process will be detected as an error.


Application hang-up will not be detected.

N/A Detection of application hang-up

N/A Abnormal response from application

✓ Abnormal termination of application

with Monitoring Agent



Real time monitoring of application healthiness

✓ Detection of application hang-up

✓ Abnormal response from application

✓ Abnormal termination of application

Other Functions / Features

Supported Configuration / Failover Scenario

Monitoring Capabilities

Prevention of Split-Brain

Disaster Recovery Capabilities

Virtualization Supported


Cloud Environment Supported

Usability / Operability

System Requirements

What is Split-Brain?

- Split-Brain is the condition where two or more nodes in the cluster becomes active due to disconnection of all the network between nodes.




How can you prevent split-brain ?

Prevention of Split-Brain - Redundancy of HB path -

Realize accurate alive monitoring against other servers by multiple use of heartbeat path


LAN Heartbeat

- Heartbeat connection through LAN




COM Heartbeat

- Heartbeat connection through COM connection




Disk Heartbeat

- Alive monitoring by writing / reading the data on shared storage



LAN Kernel Heartbeat

- Send/receive heartbeats between each servers at kernel space.




Prevention of Split-Brain - Resolution method -

Accurately detect the risk of split-brain and prevent beforehand


Disk method

- The lower priority server will be shut down to prevent split-brain




COM method

- The lower priority server will be shut down to prevent split-brain




Ping method

- If no ping response comes back, lower priority server will be shut down



Majority method

- shutting down a server that can no longer communicate with the majority of the servers in the entire cluster



Other Functions / Features

Supported Configuration / Failover Scenario

Monitoring Capabilities

Prevention of Split-Brain

Disaster Recovery Capabilities

Virtualization Supported

Cloud Environment Supported

Usability / Operability

System Requirements

Disaster Recovery Achieved by WAN Clustering

Disaster recovery can be also achieved by EXPRESSCLUSTER X with lower cost!

✓ Challenges



- Only data backup has been done.
- When servers and network has been damaged due to disaster, business will be disrupted.

✓ Measures

- Always mirror the data to backup site with EXPRESSCLUSTER X's mirroring feature.
- In case of failure / disaster, automatically failover the application to backup site.

✓ Features


- Synchronous / Asynchronous mirroring
- Supporting single heartbeat connection
- Supporting failover across WAN
- Data in the shared storage can be also mirrored to backup site



Combination of "LAN Cluster" and "WAN Cluster"

Compression of Mirrored Data

Efficient data transfer by compressing the data to be mirrored



Average 50% reduction in data size as compared to the previous version
(Results differ depending on file type)


* This feature is only valid in asynchronous mirroring mode.

Convenient at the time of using narrow network for remote clustering!

Other Features for WAN Clustering

More simple / convenient operations for WAN clustering!

- Dynamic DNS function
- Manual / Automatic select enabled in case of site failover in hybrid configuration



Other Functions / Features

Supported Configuration / Failover Scenario

Monitoring Capabilities

Prevention of Split-Brain

Disaster Recovery Capabilities

Virtualization Supported

Cloud Environment Supported

Usability / Operability

System Requirements

EXPRESSCLUSTER HA Solutions On VMware

EXPRESSCLUSTER is also compatible with VMware HA solutions

Scenario1: vMotion + EXPRESSCLUSTER X

✓ **vMotion** : VM migration at the time of planned maintenance

>>> *Minimize downtime caused by planned maintenance*

✓ **EXPRESSCLUSTER** : Automatic failover in case of VM / application failure

>>> *Minimize downtime caused by unexpected failure*

Scenario2: VMware HA + EXPRESSCLUSTER X

✓ **VMware HA** : Automatic failover in case of EC standby server fails.

>>> *Ensure HA configuration of EXPRESSCLUSTER X is always available.*

✓ **EXPRESSCLUSTER** : Automatic failover in case of VM / application failure

>>> *Ensure maximum uptime for business critical applications*

Other Functions / Features

Supported Configuration / Failover Scenario

Monitoring Capabilities

Prevention of Split-Brain

Disaster Recovery Capabilities

Virtualization Supported

Cloud Environment Supported

Usability / Operability

System Requirements

Cloud Resource (*)

Setup for public cloud is simplified!

- Setup is done by applying values in simple GUI. Operation which needs cloud service API knowledge such as virtual IP address is simplified.
- Amazon Web Services (AWS) and Microsoft Azure are supported.

Very simple GUI setting


The screenshot shows a web-based configuration interface for a resource group named 'failover1'. It includes a breadcrumb trail: Info → Dependency → Recovery Operation → Details. Under the 'Common' section, there are fields for 'server03' and 'server04'. The 'IP Address*' field is set to '10.1.0.20', 'VPC ID*' is 'vpc-1234abcd', and 'ENI ID*' is 'eni-xxxxxxx'. A 'Tuning' button is located below the fields. At the bottom, there are 'Back', 'Finish', and 'Cancel' buttons.

(*)

Cloud resource is generic name of group resource and monitor resource which is used for implementing EXPRESSCLUSTER on public cloud. In the product, following names are displayed.
"AWS Elastic IP resources", "AWS Virtual IP resources", "AWS Elastic IP resources", "Azure probe port resources", "Azure DNS resources", "AWS Elastic IP monitor resources", "AWS Virtual IP monitor resources", "AWS AZ monitor resources", "AWS DNS monitor resources", "Azure probe port monitor resources", "Azure load balance monitor resources", "Azure DNS monitor resources"

Setup Guide:

<https://www.nec.com/en/global/prod/expresscluster/en/support/Setup.html#Cloud>



Other Functions / Features

Supported Configuration / Failover Scenario

Monitoring Capabilities

Prevention of Split-Brain

Disaster Recovery Capabilities

Virtualization Supported

Cloud Environment Supported


Usability / Operability

System Requirements

Easy configuration by applying configuration file

Configuration file enables to configure clustering system very simply

Cluster WebUI Config mode
GUI tool for building cluster configuration



 **Configuration File**
Cluster.conf

Cluster configuration can be extracted to configuration file which can be applied to another cluster

Customer Benefit

Scenario	Benefit
Server Replacement	In case of replacement of old server with new server, the same cluster configuration can be easily configured by simply applying the configuration file.
Deployment of same configuration to multiple sites	In case of deploying clusters with similar configuration to multiple site, only first cluster should be configured and other can be configured by just applying the configuration file. Time required for implementation will be significantly reduced.
Trouble Shooting	By using configuration file, support team can easily reproduce the cluster for investigation purpose.

Intuitive Cluster Generation GUI

User-friendly GUI for cluster configuration to prevent setting mistakes

Point 2

IP address and device name are automatically acquired just by entering server name and it prevents committing mistakes!

Point 1

Steps of the current settings can be understood in a glance!

Server Name or IP Address*

Input Server name

Enter an IP address or a server name.
When entering a server name, name resolution is necessary.
Both IPv4 and IPv6 for IP address can be used.
When entering an IP address, the server name is automatically acquired.

Cancel

Cluster generation wizard

Cluster > Basic Settings > Interconnect > NP Resolution > Group > Monitor

Properties Add Remove

Interconnect List

Priority	Type	MDC	server1	server2
1	Kernel Mode	Do Not Use	172.168.0.35	172.168.0.36
2	Kernel Mode	Do Not Use	172.168.1.35	172.168.0.36 172.168.1.36

Only have to select from pull down menu

Configure the interconnect among the servers constructing the cluster. Click "Add" to add interconnect and select the type.
For "Kernel mode" and "Witness HB" settings, configure the route which is used for heartbeat. For "Mirror Communication Only" setting, configure the route which is used only for data mirroring communication.
For "Kernel mode" setting, more than zero routes are necessary to be configured. Configuring more than one routes is recommended.
For "Kernel mode" setting, click each server column cell and set an IP address.
For "Witness HB" setting, click each server column cell to set "Use" or "Do not use", and then click "Properties" to set detailed settings.
Click "Up" or "Down" to configure the priority to preferentially use the LAN only for the communication among the cluster servers.
For "Mirror Communication Only" setting, click on the cell for each server column and set an IP address.
For the communication route which is used for data mirroring communication, select the mirror disk connect name to be allocated to the communication route in MDC column.


Back Next Cancel

User Friendly GUI

User-friendly / Convenient management console "Cluster WebUI" offers higher operability for system administrators

Point 1

Switch "Operation mode" and "Config mode" easily



Cluster WebUI cluster

Dashboard Status Alert logs Mirror disks

Cluster is operating normally

cluster

Servers

Server	server1	server2
lanxhb1	Online	Online
lanxhb2	Normal	Normal

Groups

Group	Status	Resource
group1	Online	Offline
flp1	Online	Offline
md	Online	Offline
service	Online	Offline

Monitors

Monitor	Status	Resource
flpw1	Normal	Offline
mdnw1	Normal	Normal
mdw1	Normal	Normal
servicew1	Normal	Offline
userw	Normal	Normal

Point 2

Status of servers / group resource and monitor resource is shown in matrix display

Cluster WebUI cluster

Dashboard Status Alert logs Mirror disks

Number of alert logs to retrieve: 1000

Alert logs

Module name	Event ID	Message
rm	1501	Monitor servicew1 has been started.
rc	1011	The group group1 has been started.
rm	1501	Monitor mdw1 has been started.
rm	1501	Monitor mdw1 has been started.
rm	1501	Monitor flpw1 has been started.
lcns	3551	The trial license is valid until 2019/12/31. (Produ...
rm	1501	Monitor mdnw1 has been started.
rm	1501	Monitor userw has been started.
rc	1010	The group group1 is starting.
nm	1	The server server2 has been started.
lcns	3551	The trial license is valid until 2019/12/31. (Produ...
rm	1501	Monitor mdnw1 has been started.
rm	1501	Monitor userw has been started.
nm	1	The server server1 has been started.
pm		
pm		
pm		

Config mode Screen

Operation mode Screen

Monitoring Windows and Linux system with integrated viewer



Enables to monitor Windows/Linux cluster system in Integrated WebManager

Features of Integrated WebManager

- Displays all cluster systems in a single console as well as its status
- Provides quick access to WebManager of each cluster

Customer Benefits

- No need to monitor clusters with multiple screens, and increases manageability
- Enables system administrator to realize status change of cluster immediately




EXPRESSCLUSTER X Alert Function

In order to notify any event occurred on cluster system, EXPRESSCLUSTER X sends alert by email or warning light (*)

(*) Offered as optional add-on

For system administrators, knowing that the failure has occurred is also important for maintaining the HA configuration.



Alert service allows administrators to :

- receive information about failures while not physically located in the same place as the management PC.
- receive e-mail messages on your mobile phone.
- visually be alerted of failures by warning light.



Helps system administrator to be always aware of the event occurred on the cluster system

Other Functions / Features

Supported Configuration / Failover Scenario

Monitoring Capabilities

Prevention of Split-Brain

Disaster Recovery Capabilities

Virtualization Supported

Cloud Environment Supported

Usability / Operability

System Requirements

EXPRESSCLUSTER X System Requirements

	Windows	Linux
Hardware	x86_64 server	x86_64 server IBM POWER server(Replicator, Replicator DR, Agents except Database Agent are not supported) IBM POWER LE server(Replicator, Replicator DR and Agents are not supported)
Operating System	Windows Server 2019 Standard Windows Server 2019 Datacenter Windows Server, version 1809 Standard Windows Server, version 1809 Datacenter Windows Server, version 1803 Standard Windows Server, version 1803 Datacenter Windows Server, version 1709 Standard Windows Server, version 1709 Datacenter Windows Server 2016 Standard Windows Server 2016 Datacenter Windows Server 2012 R2 Standard Windows Server 2012 R2 Datacenter Windows Server 2012 Standard Windows Server 2012 Datacenter	Red Hat Enterprise Linux 7.6~7.3/6.10~6.8 Novell SUSE LINUX Enterprise Server 12 (SP1) Novell SUSE LINUX Enterprise Server 11 (SP4~SP3) Asianux Server 7 (SP3~SP1) (x86_64 only) Asianux Server 4 (SP7~SP6) (x86_64 only) CentOS 7.6~7.3/6.9~6.8 Oracle Linux 7.5/7.3/6.6 (x86_64 only) Ubuntu 16.04.3 LTS (x86_64 only) Ubuntu 14.04 LTS (x86_64 only) Amazon Linux 2
Memory	<x86_64> User Mode: 256MB + Kernel Mode: 32MB + 4MB(*) x (number of mirror disk resource + number of hybrid disk resource) (*)A single mirror/hybrid disk resource needs 4 MB RAM. When changing to asynchronous method, changing the queue size or changing the difference bitmap size, it is required to add more memory. Memory size increases as disk load increases because memory is used corresponding to mirror disk I/O.	<x86_64> User Mode: 200MB + Kernel Mode: - When the synchronization mode is used: 1MB + (number of request queues x I/O size) + (2MB + Difference Bitmap Size x number of mirror disk resources and hybrid disk resources) - When the asynchronous mode is used: 1MB + (number of request queues x I/O size) + (3MB + (number of asynchronous queues x I/O size) + (I/O size / 4KB x 8B + 0.5KB) x (max size of history file / I/O size + number of asynchronous queues) + (Difference Bitmap Size)) x number of mirror disk resources and hybrid disk resources - When the kernel mode LAN heartbeat driver is used: 8MB - When the keepalive driver is used: 8MB <IBM POWER/IBM POWER LE> User Mode: 200MB +
Hard Disk	<x86_64> Right after installation 100MB During operation 5.0GB	<x86_64> Right after installation 300MB During operation 5.0GB

4. Successful Case Studies

UCA is a one of the leading insurance company in Saudi Arabia where EXPRESSCLUSTER greatly contributed to the business continuity with its sophisticated HA&DR features when the flood attacked in Jeddah. UCA was the only insurance company that achieved successful business continuity while other companies faced critical business disruption.




* NEC technology partner

Jeddah Flood



"It was really wise decision we have taken to select NEC as technology partner. After what we have seen what happened to others during the flood, and the fast and simple procedures we follow to recover the operation, we believe that NEC and NajTech are the best technology partners."


Mr. Labib Assah,
UCA IT Director



Application : Logi-Sys by Softlink (Application Vendor Partner)

Benefits :

- High availability solution with capability of **scaling up to DR configuration**
- Automatic failover within 2 minutes
- Protection against planned & unplanned downtime



"We are very pleased with the partnership relationship with NEC which has exceeded our expectations and delivered innovative technology to enhance our IT infrastructure experience. NEC India has always been keen and eager to support our requirements."



Mr. Vijay Mehta
Managing Director / AV Global India.

Complete Story : <http://www.nec.com/global/cases/avglobal/>

A large federal government procurement agency

- High Availability Solution For Physical Security Application -

USA

Realized high available disaster recovery solution by configuring remote clustering with EXPRESSCLUSTER and FT server for gate authorization system of federal agency.


Objective of Introduction

For gate authorization system, solution to improve business continuity on back-up site was required just in case main site goes down due to disaster.

Benefit / System Configuration

Configured disaster recovery solution by **EXPRESCLUSTER**, which enables to continue business with minimum downtime and synchronous data protection, even in case disaster occurred and main site system goes down.

In addition, realized higher availability by using FT server for main site server.



<Overview of System Configuration>

Toggle Networks


- High Availability Platform For Disaster Recovery Service -

Canada

TOGGLE
networks

Business Model

Service Provider can provide DR site and lines for the customer



Benefit For Customer;

- Low cost DR solution to protect critical application and data.
- Save investment of human resources to manage back-up site.

Benefit For Service Provider;

- Save investment by consolidating back-up servers on virtual environment.
- Value add solution for existing datacenter service business.

Case Study

EXPRESSCLUSTER X was selected as the foundation of business continuity service offered by Toggle Networks, from numbers of common products.


Press Release: (http://www.necam.com/press/read.cfm?Press_ID=2c1a9e79-8a59-409a-bb5c-462ccc5eec49)

Requirement was the product which;

- based on an open platform
- delivers synchronous, WAN-level protection
- offers geo-distributed hosting capability for site-level business continuity capabilities
- leverages industry-proven hosting infrastructures
- provides an affordable, cost-effective, and turnkey solution



- ✓ Migration to virtual environment due to support expiration of servers
- ✓ Adopted EXPRESSCLUSTER as VMware HA cannot recover failures occurred inside the virtual machine
- ✓ Availability for **400 servers** of Oracle and WebSphere used for the securities trading system has been ensured by EXPRESSCLUSTER.



Before system migration ...

- ✓ Data mirroring cluster for each 2 servers.
 - RHEL3, Oracle, WebSphere
 - EXPRESSCLUSTER LE Ver3.x
- ✓ Total 200 sets of cluster (400 servers)



Migration to virtual environment

After migration ...

- ✓ Shared disk clustering for 2 servers
 - RHEL3, Oracle, WebSphere
 - EXPRESSCLUSTER LE Ver3.x
- ✓ 8 virtual machines on 3 physical servers
 - Merged standby VM to single physical server

Dream Island Department Store Ltd.

- High Availability For Store POS System -

China

- Country** : Nanning city, Guangxi province, China
- Industry** : Large-scale retail store
- Product** : EXPRESSCLUSTER X
- Challenges** : To realize business continuity for cash register operations in each store. Each server failure took more than three hours to recover, resulting in huge losses to the tune of 1M RM loss per hour.
- Solutions** : Improve availability and reliability of the POS systems with EC.
 - Data mirroring type cluster
 - Application servers in the headquarter office
 - POS system servers in the branch offices
 - Shared disk type cluster
 - POS system servers in the headquarter office



Customer voice :

"Our POS system has been stable since EXPRESSCLUSTER X installation. For example, a failure of database in the POS system occurred on the day of the 2nd anniversary of one of our stores. However, with EXPRESSCLUSTER X, we could failover the system to the standby server within 2 minutes, continue our operations and prevent huge business loss."



Fan Jingzhao
IT Division Manager,
Dream Island Department Store

Complete story >> https://www.nec.com/en/global/prod/expresscluster/en/case_study/index.html

Customer issue :

High availability in a heterogeneous environment to protect against service interruption in case of server failure or maintenance

Customer and his needs :

CG36 : Conseil Général de l'Indre (Regional council)

- Very frequent database queries, constant use of print service
- Heterogeneous OS : Linux and Microsoft
- Just in time work process, rapid service delivery required by CG36's partners

Goal :

- Ensure a quasi permanent availability of database and printing services

EXPRESSCLUSTER X LE : Clustering + Mirroring

Clusters LINUX (Red Hat 2.1) :



- Clustering of Oracle database service. Automatic fail-over to a standby server in case of crash or maintenance of the active server
- Database mirroring

Cluster WINDOWS :

- Clustering of the print server. Automatic fail-over to a standby server in case of crash or maintenance of the active server
- Mirroring of spool queue

Professional Services:

- Delivery, installation, configuration, training performed on site



Other Case Studies

More successful case studies available at :

https://www.nec.com/en/global/prod/expresscluster/en/case_study/index.html



Thank You



An Integrated High Availability and Disaster Recovery Solution

For more product information & request for trial license,
visit >> <https://www.nec.com/en/global/prod/expresscluster/>

For more information, feel free to contact us - info@expresscluster.jp.nec.com



 **Orchestrating** a brighter world

NEC