

List of papers by Sumio Iijima (since 1966)

[1966]

- 1) "Electronmicroscopic observation of the effect of electron irradiation and print-out effect on AgBr crystal",
Sumio Iijima and Tadatosi Hibi,
Jpn. J. Appl. Phys., **5**, 1183-1190 (1966).

[1969]

- 2) "Electron-microscopic observation of print-out effect on AgBr microcrystals",
Sumio Iijima and Tadatosi Hibi,
Jpn. J. Appl. Phys., **8**, 982-992 (1969).
- 3) "Electron-microscopic observation of print-out effect on AgBr crystals obtained from low- sensitive photographic plate",
Sumio Iijima,
Jpn. J. Appl. Phys., **8**, 1377-1389 (1969).

[1971]

- 4) "High-resolution electron microscopy of crystal lattice of titanium niobium oxide",
Sumio Iijima,
J. Appl. Phys., **42**, 5891-5893 (1971).

[1972]

- 5) "Electron microscope image contrast for thin crystals",
J. M. Cowley and Sumio Iijima,
Zeitschrift, **27a**, 445-451 (1972).
- 6) "Direct observation of lattice defects in H-Nb₂O₅ by high resolution electron microscopy",
Sumio Iijima,
Acta Cryst., **A29**, 18-24 (1973).

[1973]

- 7) "High resolution electron microscopy of TiO₂ · 7Nb₂O₅",
S. Iijima and J. G. Allpress,
J. Solid State Chem., **7**, 94-105 (1973).
- 8) "Structural studies by electron microscopy: High-resolution observations on β-ZrO₂ · 12Nb₂O₅",
J. G. Allpress, S. Iijima, R. S. Roth, N. C. Stephenson,
J. Solid State Chem., **7**, 89-93 (1973).
- 9) "Direct observation of point defects in Nb₁₂O₂₉ by high-resolution electron microscopy",
S. Iijima, S. Kimura and M. Goto,
Acta Cryst., **A29**, 632-636 (1973).
- 10) "Periodicity in thickness of electron-microscope crystal-lattice images",
P. L. Fejes, Sumio Iijima and J. M. Cowley,
Acta Cryst., **A29**, 710-714 (1973).
- 11) "High resolution electron microscopy of tourmaline crystals",
S. Iijima, J. M. Cowley and G. Donnay,
Tschermarks Min. Petr. Mitt., **20**, 216-224 (1973).
- 12) "High-resolution electron microscopy of defects and disorder in crystals",
J. M. Cowley and S. Iijima,
Proc. of Battelle Symposium on Defects and Transport in Oxides, edited by M. S. Seltzer and R. I. Jaffee,
205-224 (1973).

[1974]

- 13) "Structural studies by high-resolution electron microscopy: Tetragonal tungsten bronze-type structures in the system Nb₂O₅-WO₃",
S. Iijima and J. G. Allpress,
Acta Cryst., **A30**, 22-29 (1974).
- 14) "Structural studies by electron microscopy: Coherent intergrowth of the ReO₃ and tetragonal tungsten bronze structure types in the system Nb₂O₅-WO₃",
S. Iijima and J. G. Allpress,
Acta Cryst., **A30**, 29-36 (1974).

- 15) "High resolution electron microscopy of silicates",
Peter R. Buseck and Sumio Iijima,
Am. Mineral., **59**, 1-21 (1974).
 - 16) "High-resolution microscopy of nonstoichiometric Nb₂₂O₅₄ crystals: Point defects and structural defects",
S. Iijima, S. Kimura and M. Goto,
Acta Cryst., **A30**, 251-257 (1974).
- [1975]
- 17) "High-resolution electron microscopy of crystallographic shear structures in tungsten oxides",
Sumio Iijima,
J. Solid State Chem., **14**, 52-65 (1975).
 - 18) "High resolution electron microscopy of enstatite I: Twinning, polymorphism, and polytypism",
Sumio Iijima and Peter R. Buseck,
Am. Mineral., **60**, 758-770 (1975).
 - 19) "High resolution electron microscopy of enstatite II: Geologic application",
Peter R. Buseck and Sumio Iijima,
Am. Mineral., **60**, 771-784 (1975).
 - 20) "Ordering of the point defects in nonstoichiometric crystals of Nb₁₂O₂₉",
Sumio Iijima,
Acta Cryst., **A31**, 784-790 (1975).
- [1976]
- 21) "High-resolution electron microscopy of unit cell twinning in enstatite",
S. Iijima and P. R. Buseck,
'*Application of Electron Microscopy in Mineralogy*', Edited by H. -R. Wenk, Springer-Verlag, Heidelberg,
p319-323 (1976).
 - 22) "The direct imaging of crystal structures",
J. M. Cowley and S. Iijima,
'*Application of Electron Microscopy in Mineralogy*', Edited by H. -R. Wenk, Springer-Verlag, Heidelberg,
123-136 (1976).
 - 23) "Refinement of the defect structure of 'GeNb₉O₂₅' by high-resolution electron microscopy",
A. J. Skarnulis, Sumio Iijima and J. M. Cowley,
Acta Cryst., **A32**, 799-805 (1976).
- [1977]
- 24) "A high-resolution electron micrograph of the twin boundary in Pyrite",
G. Donnay, J. D. H. Donnay and Sumio Iijima,
Acta Cryst., **A33**, 622-626 (1977).
 - 25) "Thin graphite support films for high resolution electron microscopy",
Sumio Iijima,
Micron, **8**, 41-46 (1977).
 - 26) "High resolution electron microscopy of phase objects: Observation of small holes and steps on graphite crystals",
Sumio Iijima,
Optik, **47**, 437-452 (1977).
 - 27) "Observation of single and clusters of atoms in bright field electron microscopy",
Sumio Iijima,
Optik, **48**, 193-214 (1977).
 - 28) "Electron microscopy of atoms in crystals",
John M. Cowley and Sumio Iijima,
Physics Today, March 32-40 (1977).
- [1978]
- 29) "Studies of ordering using high resolution electron microscopy",
S. Iijima and J. M. Cowley,
J. de Physique, **C7**, 135-144 (1978).

- 30) "Experimental study of disordered mica structures by high-resolution electron microscopy",
Sumio Iijima and Peter R. Buseck,
Acta Cryst., **A34**, 709-719 (1978).
- 31) "Structural studies by high-resolution electron microscopy: Intergrowth of ReO₃- and tetragonal tungsten bronze-type structures in the system Nb₂O₅-WO₃",
Sumio Iijima,
Acta Cryst., **A34**, 922-931 (1978).
- 32) "On the thickness periodicity of atomic-resolution images of dislocation cores",
J. C. H. Spence, M. A. O'Keefe and S. Iijima,
Philos. Mag. A, **38**, 463-482 (1978).
- 33) "Computed crystal structure images for high resolution electron microscopy",
M. A. O'Keefe, P. R. Buseck and S. Iijima,
Nature, **274**, 322-324 (1978).
- 34) "Many-beam lattice images from thicker crystals",
S. Iijima,
9th Int. Cong. E. M. Toronto, vol. **III** 130-139 (1978).
- 35) "High resolution phase contrast electron microscopy: Imaging of single atoms and "Amorphous state"",
Sumio Iijima,
9th Int. Cong. E. M. Toronto, vol. **I** 252-253 (1978).
- 36) "Calculation of structure images of crystalline defects",
M. A. O'Keefe and Sumio Iijima,
9th Int. Cong. E. M. Toronto, vol. **I** 282-283 (1978).
- 37) "Coherent imaging of finitely-sized objects and its application to graphitic carbon",
Sumio Iijima,
Chemica Scripta, **14**, 117-123 (1978-9).
- [1979]
- 38) "Crystal structure of ordered Li₄SiO₄",
D. Tranqui, R. D. Shannon, H. -Y. Chen, S. Iijima and W. H. Baur,
Acta Cryst., **B35**, 2479-2487 (1979).
- 39) "Determination of defocus values using 'Fourier images' for high resolution electron microscopy",
Sumio Iijima and M. A. O'Keefe,
J. Microscopy, **117**, 347-354 (1979).
- 40) "High resolution electron microscopy",
Sumio Iijima,
Int. Conf. Proc. on 'Modulated Structures', Am. Inst. of Phys., p55-68 (1979).
- [1980]
- 41) "High resolution electron microscopy of some carbonaceous materials",
Sumio Iijima,
J. Microscopy, **119**, 99-111 (1980).
- 42) "Direct observation of the tetrahedral bonding in graphitized carbon black by high resolution electron microscopy",
Sumio Iijima,
J. Cryst. Growth, **50**, 675-683 (1980).
- 43) "Application of STEM to elemental analysis in glass",
Y. Bando, S. Iijima, Y. Kawamoto and M. Tomozawa,
J. Non-Cryst. Solids, **42**, 151-156 (1980).
- [1981]
- 44) "Observation of atomic steps of (111) surface of a silicon crystal using bright field electron microscopy",
Sumio Iijima,
Ultramicroscopy, **6**, 41-52 (1981).
- 45) "Elemental analysis in a phase-separated glass by STEM x-ray microanalysis",
Y. Bando, S. Iijima, Y. Kawamoto and M. Tomozawa,
J. Non-Cryst. Solids, **43**, 379-385 (1981).

[1982]

- 46) “High-resolution electron microscopy of McGillite: I. One-layer monoclinic structure”,
Sumio Iijima,
Acta Cryst., **A38**, 685-694 (1982).
- 47) “High-resolution electron microscopy of McGillite: II. Polytypism and disorder”,
Sumio Iijima,
Acta Cryst., **A38**, 695-702 (1982).
- 48) “Electron microscopy of a muscovite-biotite interface”,
Sumio Iijima and Jing Zhu,
Am. Mineral., **67**, 1195-1205 (1982).
- 49) “Graphitization of silicon carbide due to electron beam irradiation”,
Sumio Iijima,
J. Solid State Chem., **42**, 101-105 (1982).

[1984]

- 50) “Atomic and other structures of cleaved GaAs(110) surfaces”,
Tung Hsu, Sumio Iijima and J. M. Cowley,
Surf. Sci., **137**, 551-569 (1984).
- 51) “Ultra-fine spherical particles of γ -alumina: Electron microscopy of crystal structure and surface morphology at atomic resolution”,
Sumio Iijima,
Jpn. J. Appl. Phys., **23**, L347-L350 (1984).
- 52) “Stacking disorder in clinocllore chlorite”,
Gerard E. Spinnler, Peter G. Self, Sumio Iijima and Peter R. Buseck,
Am. Mineral., **69**, 252-263 (1984).
- 53) “Lattice imaging technique and applications”,
Sumio Iijima,
Methods Appl. Crystallogr. Comput. Pap. Int. Summer Sch., Edited by S. R. Hall and T. Ashida, 460-469 (1984).

[1985]

- 54) “Motion of surface atoms on small gold particles revealed by HREM with real-time VTR system”,
Sumio Iijima and Toshinari Ichihashi,
Jpn. J. Appl. Phys., **24**, L125-L128 (1985).
- 55) “A new approach to material science research using several hundred Ångström particles”,
Sumio Iijima,
Surf. Sci., **156**, 1003-1010 (1985).
- 56) “High resolution electron microscopy of metal clusters supported on a new type of spinel alumina”,
S. Iijima and M. Ichikawa,
J. Catal., **94**, 313-318 (1985).
- 57) “Electron microscopy of small particles”,
Sumio Iijima,
J. Electron Microsc., **34**, 249-265 (1985).

[1986]

- 58) “Structural instability of ultrafine particles of metals”,
Sumio Iijima and Toshinari Ichihashi,
Phys. Rev. Lett., **56**, 616-619 (1986).
- 59) “Structural properties of graphitized poly-peri-naphthalene whiskers”,
Mutsuaki Murakami, Susumu Yoshimura and Sumio Iijima,
Appl. Phys. Lett., **48**, 390-392 (1986).
- 60) “Morphology and structure of a one-dimensional graphite polymer, poly(perinaphthalene)”,
Mutsuaki Murakami, Sumio Iijima and Susumu Yoshimura,
J. Appl. Phys., **60**, 3856-3863 (1986).

[1987]

- 61) “Fine particles of silicon .I. Crystal growth of spherical particles of Si”,
Sumio Iijima,
Jpn. J. Appl. Phys., **26**, 357-364 (1987).
- 62) “Fine particles of silicon .II. Decahedral multiply-twinned particles”,
Sumio Iijima,
Jpn. J. Appl. Phys., **26**, 365-372 (1987).
- 63) “Some experiments on structural instability of small particles of metals”,
S. Iijima,
‘Microclusters’, Edited by S. Sugano et al., Springer-Verlag, p186-199 (1987).
- 64) “Grain boundary migration in small gold particles”,
Sumio Iijima and Toshinari Ichihashi,
Surf. Sci., **192**, L872-L878 (1987).
- 65) “The 60-Carbon cluster has been revealed!”,
Sumio Iijima,
J. Phys. Chem., **91**, 3466-3467 (1987).
- 66) “Twinning of high- T_c $Ba_2YCu_3O_{7-x}$ oxides”,
Sumio Iijima, Toshinari Ichihashi, Yoshimi Kubo and Junji Tabuchi,
Jpn. J. Appl. Phys., **26**, L1478-L1481 (1987).
- 67) “Incipient twinning in $Ba_2YCu_3O_{7-x}$ crystals”,
Sumio Iijima, Toshinari Ichihashi, Yoshimi Kubo and Junji Tabuchi,
Jpn. J. Appl. Phys., **26**, L1790-L1793 (1987).
- 68) “New polyconjugated systems for intrinsically conductive polymers”,
S. Yoshimura, M. Murakami, H. Yasujima, S. Mizogami and S. Iijima,
Synth. Met., **18**, 473-478 (1987).

[1988]

- 69) “Observation of strong ordering in $Ga_xIn_{1-x}P$ alloy semiconductors”,
Akiko Gomyo, Tohru Suzuki and Sumio Iijima,
Phys. Rev. Lett., **60**, 2645-2648 (1988).
- 70) “‘Incipient orthorhombic’ phase in $Ba_2YCu_3O_{7-x}$ crystals”,
Toshinari Ichihashi, Sumio Iijima, Yoshimi Kubo, Yuichi Shimakawa and Junji Tabuchi,
Jpn. J. Appl. Phys., **27**, L594-L597 (1988).
- 71) “Structural variations on superconductor Tl-Ba-Ca-Cu-O oxides”,
Sumio Iijima, Toshinari Ichihashi and Yoshimi Kubo,
Jpn. J. Appl. Phys., **27**, L817-L820 (1988).
- 72) “Crystal structure variations due to multiplicity in CuO_2 -Ca- CuO_2 slabs in superconductive Tl-Ba-Ca-Cu-O oxides”,
Sumio Iijima, Toshinari Ichihashi, Yuichi Shimakawa, Takashi Manako and Yoshimi Kubo,
Jpn. J. Appl. Phys., **27**, L837-L840 (1988).
- 73) “Intergrowth structures in superconductor Tl-Ba-Ca-Cu-O oxides”,
Sumio Iijima, Toshinari Ichihashi, Yuichi Shimakawa, Takashi Manako and Yoshimi Kubo,
Jpn. J. Appl. Phys., **27**, L1054-L1057 (1988).
- 74) “Modulated structures in superconductor Tl-Ba-Ca-Cu-O oxides: Crystal structure of $Tl_2Ba_2CuO_{6+x}$ phase”,
Sumio Iijima, Toshinari Ichihashi, Yuichi Shimakawa, Takashi Manako and Yoshimi Kubo,
Jpn. J. Appl. Phys., **27**, L1061-L1064 (1988).
- 75) “Crystal growth faults in superconductor Tl-Ba-Ca-Cu-O oxide crystals”,
Sumio Iijima, Toshinari Ichihashi and Yoshimi Kubo,
Jpn. J. Appl. Phys., **27**, L1168-L1171 (1988).
- 76) “Orthorhombic-II phase in $Ba_2YCu_3O_{7-x}$ crystals”,
Toshinari Ichihashi, Sumio Iijima, Yoshimi Kubo and Junji Tabuchi,
Jpn. J. Appl. Phys., **27**, L1187-L1189 (1988).

- 77) “Band-gap energy anomaly and sublattice ordering in GaInP and AlGaInP grown by metalorganic vapor phase epitaxy”,
Tohru Suzuki, Akiko Gomyo, Sumio Iijima, Kenichi Kobayashi, Seiji Kawata, Isao Hino and Tona Yuasa,
Jpn. J. Appl. Phys., **27**, 2098-2106 (1988).
- 78) “P-Type doping effects on band-gap energy for Ga_{0.5}In_{0.5}P grown by metalorganic vapor phase epitaxy”,
Tohru Suzuki, Akiko Gomyo, Isao Hino, Kenichi Kobayashi, Seiji Kawata and Sumio Iijima,
Jpn. J. Appl. Phys., **27**, L1549-L1552 (1988).
- 79) “Nonexistence of long-range order in Ga_{0.5}In_{0.5}P epitaxial layers grown on (111) B and (110) GaAs substrates”,
Akiko Gomyo, Tohru Suzuki, Sumio Iijima, Hitoshi Hotta, Hiroshi Fujii, Seiji Kawata, Kenichi Kobayashi,
Yoshiyasu Ueno and Isao Hino,
Jpn. J. Appl. Phys., **27**, L2370-L2372 (1988).
- 80) “Strong ordering in GaInP alloy semiconductors; Formation mechanism for the ordered phase”,
Tohru Suzuki, Akiko Gomyo and Sumio Iijima,
J. Cryst. Growth, **93**, 396-405 (1988).
- [1989]
- 81) “Gold catalysts prepared by coprecipitation for low-temperature oxidation of hydrogen and of carbon monoxide”,
M. Haruta, N. Yamada, T. Kobayashi and S. Iijima,
J. Catal., **115**, 301-309 (1989).
- 82) “Large (6°) off-angle effects on sublattice ordering and band-gap energy in Ga_{0.5}In_{0.5}P grown on (001) GaAs substrates”,
Akiko Gomyo, Seiji Kawata, Tohru Suzuki, Sumio Iijima and Isao Hino,
Jpn. J. Appl. Phys., **28**, L1728-L1730 (1989).
- 83) “Variation in T_c, structure and oxygen content in Tl₂Ba₂CuO₆ and their correlations”,
Y. Shimakawa, Y. Kubo, T. Manako, T. Satoh, S. Iijima, T. Ichihashi and H. Igarashi,
Physica C, **157**, 279-284 (1989).
- 84) “Large T_c-variation from 0K to 80K and hole concentration in Tl₂Ba₂CuO₆”,
Y. Kubo, Y. Shimakawa, T. Manako, T. Satoh, S. Iijima, T. Ichihashi and H. Igarashi,
Physica C, **162-164**, 991-992 (1989).
- [1990]
- 85) “Sublattice ordering in GaInP and AlGaInP: Effects of substrate orientations”,
Tohru Suzuki, Akiko Gomyo and Sumio Iijima,
J. Cryst. Growth, **99**, 60-67 (1990).
- 86) “Staking disorders and twin deformation in small metal clusters”,
Sumio Iijima and Toshinari Ichihashi,
Mater. Trans., JIM, **31**, 582-587 (1990).
- 87) “Early formation of chemical vapor deposition diamond films”,
Sumio Iijima, Yumi Aikawa and Kazuhiro Baba,
Appl. Phys. Lett., **57**, 2646-2648 (1990).
- 88) “Dynamic TEM observation on oxide glass materials”,
Sumio Iijima,
MRS Symp. Proc., vol. 183, 349-356 (1990).
- [1991]
- 89) “Growth of diamond particles in chemical vapor deposition”,
Sumio Iijima, Yumi Aikawa and Kazuhiro Baba,
J. Mater. Res., **6**, 1491-1497 (1991).
- 90) “Oxidation property of silicon small particles”,
R. Okada and S. Iijima,
Appl. Phys. Lett., **58**, 1662-1663 (1991).
- 91) “Growth process of CdSe microcrystals in CdSe-doped SiO₂ glass thin films”,
Kazuyuki Hirao, Sumio Iijima and Hiroyuki Nasu,
J. Non-Cryst. Solids, **134**, 233-238 (1991).

- 92) “Effects of electron irradiation and coulombic interactions on the structure and mobility of small particles and amorphous phases”,
Sumio Iijima and P. M. Ajayan,
Radiation Effects and Defects in Solids, **118**, 169-183 (1991).
- 93) “Wetting and de-wetting transitions of small metal particles on substrates under electron irradiation”,
P. A. Ajayan and Sumio Iijima,
J. Colloid Interface Sci., **147**, 281-285 (1991).
- 94) “Substrate and size effects on the coalescence of small particles”,
Sumio Iijima and P. M. Ajayan,
J. Appl. Phys., **70**, 5138-5140 (1991).
- 95) “Electron irradiation damage and sputtering from oxidized silicon particles supported on amorphous carbon”,
P. M. Ajayan, T. Ichihashi and S. Iijima,
Radiation Effects and Defects in Solids, **118**, 281-286 (1991).
- 96) “Helical microtubules of graphitic carbon”,
Sumio Iijima,
Nature, **354**, 56-58 (1991).

[1992]

- 97) “Electron-beam-enhanced flow and instability in amorphous silica fibers and tips”,
P. M. Ajayan and Sumio Iijima,
Philos. Mag. Lett., **65**, 43-48 (1992).
- 98) “Electron irradiation-induced dynamical fluctuations in amorphous structures”,
P. M. Ajayan and Sumio Iijima,
J. Non-Cryst. Solids, **150**, 423-428 (1992).
- 99) “Pentagons, heptagons and negative curvature in graphite microtubule growth”,
Sumio Iijima, Toshinari Ichihashi and Yoshinori Ando,
Nature, **356**, 776-778 (1992).
- 100) “Smallest carbon nanotube”,
P. M. Ajayan and Sumio Iijima,
Nature, **358**, 23-23 (1992).
- 101) “Growth model for carbon nanotubes”,
Sumio Iijima, P. M. Ajayan and T. Ichihashi,
Phys. Rev. Lett., **69**, 3100-3103 (1992).
- 102) “Twin-formation mechanisms for HgCdTe epilayers”,
M. Kawano, N. Oda, T. Sasaki, T. Ichihashi, S. Iijima, T. Kanno and M. Saga,
J. Cryst. Growth, **117**, 171-176 (1992).
- 103) “Sintering of confined silica in oxidized silicon particles”,
Pulickel M. Ajayan and Sumio Iijima,
J. Am. Ceram. Soc., **75**, 999-1001 (1992).
- 104) “Structures of C₆₀ thin films fabricated on alkali halide substrates by organic MBE”,
Toshinari Ichihashi, Katsumi Takagi, Thomas W. Ebbesen, Sadanori Kuroshima and Sumio Iijima,
Chem. Phys. Lett., **190**, 179-183 (1992).
- 105) “Natural superlattice in Ga_{0.5}In_{0.5}P as a result of surface reconstruction”,
T. Suzuki, A. Gomyo and S. Iijima,
Springer Series in Mater. Sci., **17**, 363-375 (1992).

[1993]

- 106) “Distribution of pentagons and shapes in carbon nano-tubes and particles”,
P. M. Ajayan, T. Ichihashi and S. Iijima,
Chem. Phys. Lett., **202**, 384-388 (1993).
- 107) “Preparation of carbon nanotubes by arc-discharge evaporation”,
Yoshinori Ando and Sumio Iijima,
Jpn. J. Appl. Phys., **32**, L107-L109 (1993).
- 108) “Electron-energy-loss spectroscopy of carbon nanometer-size tubes”,

P. M. Ajayan, S. Iijima and T. Ichihashi,
Phys. Rev. B, **47**, 6859-6862 (1993).

- 109) “STM and HRTEM observation of new colloidal Pt carbonyls prepared by photoinduced transformation of Pt₁₂ carbonyl clusters”,
Toshiyuki Fujimoto, Atsushi Fukuoka, Sumio Iijima and Masaru Ichikawa,
J. Phys. Chem., **97**, 279-281 (1993).
- 110) “Growth of carbon nanotubes”,
Sumio Iijima,
Mater. Sci. Eng., **B19**, 172-180 (1993).
- 111) “Capillarity-induced filling of carbon nanotubes”,
P. M. Ajayan and Sumio Iijima,
Nature, **361**, 333-334 (1993).
- 112) “Opening carbon nanotubes with oxygen and implications for filling”,
P. M. Ajayan, T. W. Ebbesen, T. Ichihashi, S. Iijima, K. Tanigaki and H. Hiura,
Nature, **362**, 522-525 (1993).
- 113) “Single-shell carbon nanotubes of 1-nm diameter”,
Sumio Iijima and Toshinari Ichihashi,
Nature, **363**, 603-605 (1993).
- 114) “High-resolution electron microscopy of short-range ordered structure of Ga_{0.5}In_{0.5}P”,
Daisuke Shindo, Kenji Hiraga, Sumio Iijima, Junichi Kudoh, Yoshiaki Nemoto and Tetsuo Oikawa,
J. Electron Microsc., **42**, 227-230 (1993).

[1994]

- 115) “Carbon nanotubes”,
Sumio Iijima,
MRS Bulletin, **19**, 43-49 (1994).

[1996]

- 116) “Structural flexibility of carbon nanotubes”,
Sumio Iijima, Charles Brabec, Amitesh Maiti and Jerzy Bernholc,
J. Chem. Phys., **104**, 2089-2092 (1996).
- 117) “Structures of carbon soot prepared by laser ablation”,
Sumio Iijima, Tomonari Wakabayashi and Yohji Achiba,
J. Phys. Chem., **100**, 5839-5843 (1996).
- 118) “Imaging the dimers in Si(111)-(7×7)”,
E. Bengu, R. Plass, L. D. Marks, T. Ichihashi, P. M. Ajayan and S. Iijima,
Phys. Rev. Lett., **77**, 4226-4228 (1996).
- 119) “Onion-like graphitic particles produced from diamond”,
Lu-Chang Qin and Sumio Iijima,
Chem. Phys. Lett., **262**, 252-258 (1996).
- 120) “Nucleation of WS₂ fullerenes at room temperature”,
Lev Margulis, Reshef Tenne and Sumio Iijima,
Microsc. Microanal. Microstruct., **7**, 87-89 (1996).

[1997]

- 121) “Fibrilliform growth of carbon nanotubes”,
L. C. Qin and S. Iijima,
Mater. Lett., **30**, 311-314 (1997).
- 122) “On the measurement of helicity of carbon nanotubes”,
L. C. Qin, T. Ichihashi and S. Iijima,
Ultramicroscopy, **67**, 181-189 (1997).
- 123) “Helicity and packing of single-walled carbon nanotubes studied by electron nanodiffraction”,
Lu-Chang Qin, Sumio Iijima, Hiromichi Kataura, Yutaka Maniwa, Shinzo Suzuki and Yohji Achiba,
Chem. Phys. Lett., **268**, 101-106 (1997).

- 124) “Structure and formation of raft-like bundles of single-walled helical carbon nanotubes produced by laser evaporation”,
Lu-Chang Qin and Sumio Iijima,
Chem. Phys. Lett., **269**, 65-71 (1997).
- 125) “Effects of O₂ on the {113} defect formation in Si observed by in-situ ultrahigh vacuum transmission electron microscopy”,
K. Koto, S. Takeda, T. Ichihashi and S. Iijima,
Appl. Phys. Lett., **71**, 1661-1663 (1997).
- 126) “Optical recognition of CO and H₂ by use of gas-sensitive Au-Co₃O₄ composite films”,
Masanori Ando, Tetsuhiko Kobayashi, Sumio Iijima and Masatake Haruta,
J. Mater. Chem., **7**, 1779-1783 (1997).
- 127) “Preparation of high-grade carbon nanotubes by hydrogen arc discharge”,
X. Zhao, M. Ohkohchi, M. Wang, S. Iijima, T. Ichihashi and Y. Ando,
Carbon, **35**, 775-781 (1997).
- 128) “Heterogeneous growth of B-C-N nanotubes by laser ablation”,
Y. Zhang, H. Gu, K. Suenaga and S. Iijima,
Chem. Phys. Lett., **279**, 264-269 (1997).
- 129) “Single-wall carbon nanotube formation by laser ablation using double-targets of carbon and metal”,
Masako Yudasaka, Toshiki Komatsu, Toshinari Ichihashi and Sumio Iijima,
Chem. Phys. Lett., **278**, 102-106 (1997).
- 130) “Nanoholes on silicon surface created by electron irradiation under ultrahigh vacuum environment”,
S. Takeda, K. Koto, S. Iijima and T. Ichihashi,
Phys. Rev. Lett., **79**, 2994-2997 (1997).
- [1998]
- 131) “Coaxial nanocable: Silicon carbide and silicon oxide sheathed with Boron Nitride and Carbon”,
Y. Zhang, K. Suenaga, C. Colliex and S. Iijima,
Science, **281**, 973-975 (1998).
- 132) “Pressure dependence of the structures of carbonaceous deposits formed by laser ablation on targets composed of Carbon, Nickel, and Cobalt”,
M. Yudasaka, T. Komatsu, T. Ichihashi, Y. Achiba and S. Iijima,
J. Phys. Chem., B, **102**, 4892-4896 (1998).
- 133) “Roles of laser light and heat in formation of single-wall carbon nanotubes by pulsed laser ablation of C_xNi_yCo_z targets at high temperature”,
Masako Yudasaka, Toshinari Ichihashi and Sumio Iijima,
J. Phys. Chem., B, **102**, 10201-10207 (1998).
- 134) “Spongy carbon nanobeads- A new material”,
Maheshwar Sharon, Kingsuk Mukhopadhyay, Kiyoshi Yase, Sumio Iijima, Yoshinori Ando and Xinluo Zhao,
Carbon, **36**, 507-511 (1998).
- 135) “Microscopic structure of as-grown single-wall carbon nanotubes by laser ablation”,
Y. Zhang and S. Iijima,
Philos. Mag. Lett., **78**, 139-144 (1998).
- 136) “Single-wall carbon nanotubes synthesized by laser ablation in a nitrogen”,
Y. Zhang, H. Gu and S. Iijima,
Appl. Phys. Lett., **73**, 3827-3829 (1998).
- [1999]
- 137) “Single-wall carbon nanotubes formed by a single laser-beam pulse”,
Masako Yudasaka, Toshinari Ichihashi, Toshiki Komatsu and Sumio Iijima,
Chem. Phys. Lett., **299**, 91-96 (1999).
- 138) ““Bucky Shuttle” memory device: Synthetic approach and molecular dynamics simulations”,
Young-Kyun Kwon, David Tománek and Sumio Iijima,
Phys. Rev. Lett., **82**, 1470-1473 (1999).

- 139) "Heterostructures of single-walled carbon nanotubes and carbide nanorods",
Y. Zhang, T. Ichihashi, E. Landree, F. Nihey and S. Iijima,
Science, **285**, 1719-1722 (1999).
- 140) "Elastic response of carbon nanotube bundles to visible light",
Y. Zhang and S. Iijima,
Phys. Rev. Lett., **82**, 3472-3475 (1999).
- 141) "Formation of single-wall carbon nanotubes: Comparison of CO₂ laser ablation and Nd:YAG laser ablation",
M. Yudasaka, F. Kokai, K. Takahashi, R. Yamada, N. Sensui, T. Ichihashi and S. Iijima,
J. Phys. Chem., B, **103**, 3576-3581 (1999).
- 142) "Growth dynamics of single-wall carbon nanotubes synthesized by CO₂ laser vaporization",
F. Kokai, K. Takahashi, M. Yudasaka, R. Yamada, T. Ichihashi and S. Iijima,
J. Phys. Chem., B, **103**, 4346-4351 (1999).
- 143) "Mechanism of the effect of NiCo, Ni and Co catalysts on the yield of single-wall carbon nanotubes formed by pulsed Nd:YAG laser ablation",
M. Yudasaka, R. Yamada, N. Sensui, T. Wilkins, T. Ichihashi and S. Iijima,
J. Phys. Chem., B, **103**, 6224-6229 (1999).
- 144) "Effect of environment temperature for synthesizing single-wall carbon nanotubes by arc vaporization method",
Morio Takizawa, Shunji Bandow, Tatsuharu Torii and Sumio Iijima,
Chem. Phys. Lett., **302**, 146-150 (1999).
- 145) "Nano-aggregates of single-walled graphitic carbon nano-horns",
S. Iijima, M. Yudasaka, R. Yamada, S. Bandow, K. Suenaga, F. Kokai and K. Takahashi,
Chem. Phys. Lett., **309**, 165-170 (1999).
- 146) "Formation of single-wall carbon nanotubes catalyzed by Ni separating from Y in laser ablation or in arc discharge using a C target containing a NiY catalyst",
Masako Yudasaka, Nobuko Sensui, Morio Takizawa, Shunji Bandow, Toshinari Ichihashi and Sumio Iijima,
Chem. Phys. Lett., **312**, 155-160 (1999).
- 147) "Production of highly graphitized multiwalled carbon nanotubes",
X. L. Zhao, T. L. Guo, M. Ohkohchi, T. Okazaki, S. Iijima and Y. Ando,
Acta Metall. Sinica, **12**, 345-352 (1999).
- 148) "Mass-production of single-wall carbon nanotubes by arc discharge method",
Zujin Shi, Yongfu Lian, Xihuang Zhou, Zhennan Gu, Yaogang Zhang, Sumio Iijima, Lixia Zhou, Kwok To Yue and Shulin Zhang,
Carbon, **37**, 1449-1453 (1999).
- 149) "Purification of single-wall carbon nanotubes",
Zujin Shi, Yongfu Lian, Fuhui Liao, Xihuang Zhou, Zhennan Gu, Yaogang Zhang and Sumio Iijima,
Solid State Commun., **112**, 35-37 (1999).
- 150) "Emission imaging spectroscopic and shadowgraphic studies on the growth dynamics of graphitic carbon particles synthesized by CO₂ laser vaporization",
F. Kokai, K. Takahashi, M. Yudasaka and S. Iijima,
J. Phys. Chem., B, **103**, 8686-8693 (1999).
- 151) "Growth dynamics of carbon-metal particles and nanotubes synthesized by CO₂ laser vaporization",
F. Kokai, K. Takahashi, M. Yudasaka and S. Iijima,
Appl. Phys., **A69**, S229-S234 (1999).
- 152) "Shadowgraphic and emission imaging spectroscopic studies of the laser ablation of graphite in an Ar gas atmosphere",
F. Kokai, K. Takahashi, K. Shimizu, M. Yudasaka and S. Iijima,
Appl. Phys., **A69**, S223-227 (1999).
- 153) "Defects in arc-discharge-produced single-walled carbon nanotubes",
Y. Zhang, S. Iijima, Z. Shi and Z. Gu,
Philos. Mag. Lett., **79**, 473-479 (1999).
- 154) "Formation of single-wall carbon nanotubes by laser ablation of fullerenes at low temperature",

- Y. Zhang and S. Iijima,
Appl. Phys. Lett., **75**, 3087-3089 (1999).
- 155) “Production of single-wall carbon nanotubes at high pressure”,
Zujin Shi, Yongfu Lian, Xihuang Zhou, Zhennan Gu, Yaogang Zhang, Sumio Iijima, Hongdong Li, Kwok To Yue and Shu-Lin Zhang,
J. Phys. Chem., B, **103**, 8698-8701 (1999).
- 156) “Dependence of elastic properties on morphology in single-wall carbon nanotubes”,
Oleg Lourie, Daniel H. Wagner, Yaogang Zhang and Sumio Iijima,
Adv. Mater., **11**, 931-934 (1999).
- [2000]
- 157) “Fine-structure analysis of Gd M₄₅ near-edge EELS on the valence state of Gd@C₈₂ microcrystals”,
K. Suenaga, S. Iijima, H. Kato and H. Shinohara,
Phys. Rev. B, **62**, 1627-1630 (2000).
- 158) “Coiled structure of eccentric coaxial nanocable made of amorphous boron and silicon oxide”,
K. Suenaga, Y. Zhang and S. Iijima,
Appl. Phys. Lett., **76**, 1564-1566 (2000).
- 159) “Radially modulated nitrogen distribution in CN_x nanotubular structures prepared by CVD using Ni phthalocyanine”,
K. Suenaga, M. Yudasaka, C. Colliex and S. Iijima,
Chem. Phys. Lett., **316**, 365-372 (2000).
- 160) “Interlayer spacing anomaly of single-wall carbon nanohorn aggregate”,
S. Bandow, F. Kokai, K. Takahashi, M. Yudasaka, L. C. Qin and S. Iijima,
Chem. Phys. Lett., **321**, 514-519 (2000).
- 161) “Evidence for anomalously small charge transfer in doped single-wall carbon nanohorn aggregates with Li, K and Br”, S. Bandow, A. M. Rao, G. U. Sumanasekera, P. C. Eklund, F. Kokai, K. Takahashi, M. Yudasaka and S. Iijima,
Appl. Phys., **A71**, 561-564 (2000).
- 162) “Electron spin resonance of K-doped single-wall carbon nanohorns and single-wall carbon nanotubes”,
S. Bandow, M. Yudasaka, R. Yamada, S. Iijima, F. Kokai and K. Takahashi,
Mol. Cryst. Liq. Cryst., **340**, 749-756 (2000).
- 163) “High-temperature viscous carbon flow for the growth of single-wall carbon nanotubes”,
Fumio Kokai, Kunimitsu Takahashi, Masako Yudasaka and Sumio Iijima,
J. Phys. D, **33**, 545-550 (2000).
- 164) “Laser ablation of graphite-Co/Ni and growth of single-wall carbon nanotubes in vortexes formed in an Ar atmosphere”,
F. Kokai, K. Takahashi, M. Yudasaka and S. Iijima,
J. Phys. Chem. B, **104**, 6777-6784 (2000).
- 165) “Purification of single-wall carbon nanotubes by using ultrafine gold particles”,
E. Mizoguti, F. Nihey, M. Yudasaka, S. Iijima, T. Ichihashi and K. Nakamura,
Chem. Phys. Lett., **321**, 297-301 (2000).
- 166) “Controllable method for fabricating single-wall carbon nanotube tips”,
Y. Zhang and S. Iijima,
Appl. Phys. Lett., **77**, 966-968 (2000).
- 167) “Porous target enhances production of single-wall carbon nanotubes by laser ablation”,
Masako Yudasaka, Minfang Zhang and Sumio Iijima,
Chem. Phys. Lett., **323**, 549-553 (2000).
- 168) “Boron-catalyzed multi-walled carbon nanotube growth with the reduced number of layers by laser ablation”,
K. Hirahara, K. Suenaga, S. Bandow and S. Iijima,
Chem. Phys. Lett., **324**, 224-230 (2000).

- 169) “Multiwalled carbon nanotubes prepared by hydrogen arc”,
Y. Ando, X. Zhao, H. Kataura, Y. Achiba, K. Kaneto, M. Tsuruta, S. Uemura and S. Iijima,
Diamond Relat. Mater., **9**, 847-851 (2000).
- 170) “Mass production of single-wall carbon nanotubes by the arc plasma jet method”,
Yoshinori Ando, Xinluo Zhao, Kaori Hirahara, Kazutomo Suenaga, Shunji Bandow and Sumio Iijima,
Chem. Phys. Lett., **323**, 580-585 (2000).
- 171) “Compressibility and polygonization of single-walled nanotubes under hydrostatic pressure”,
Jie Tang, Lu-Chang Qin, Taizo Sasaki, Masako Yudasaka, Akiyuki Matsushita and Sumio Iijima,
Phys. Rev. Lett., **85**, 1887-1889 (2000).
- 172) “Microstructural evolution of single-walled carbon nanotubes under electron irradiation”,
Y. Zhang and S. Iijima,
Philos. Mag. Lett., **80**, 427-433 (2000).
- 173) “Twisting of single-walled carbon nanotube bundles”,
Lu-Chang Qin and Sumio Iijima,
Mater. Res. Soc. Symp. Proc., **593**, 33-38 (2000).
- 174) “Polarised Raman spectroscopy on a single class of single-wall nanotubes by nano surface-enhanced scattering”,
J. Azoulay, A. Débarre, A. Richard, P. Tchénio, S. Bandow and S. Iijima,
Chem. Phys. Lett., **331**, 347-353 (2000).
- 175) “Effect of ultrafine gold particles and cationic surfactant on burning of as-grown single-wall carbon nanotubes”,
M. Zhang, M. Yudasaka, F. Nihey and S. Iijima,
Chem. Phys. Lett., **328**, 350-354 (2000).
- 176) “Adsorption and catalytic properties of single-wall carbon nanohorns”,
J. Adelene Nisha, M. Yudasaka, S. Bandow, F. Kokai, K. Takahashi and S. Iijima,
Chem. Phys. Lett., **328**, 381-386 (2000).
- 177) “The smallest carbon nanotube”,
Lu-Chang Qin, Xinluo Zhao, Kaori Hirahara, Yoshiyuki Miyamoto, Yoshinori Ando and Sumio Iijima,
Nature, **408**, 50-50 (2000).
- 178) “Effect of an organic polymer in purification and cutting of single-wall carbon nanotubes”,
M. Yudasaka, M. Zhang, C. Jabs and S. Iijima,
Appl. Phys., **A71**, 449-451 (2000).
- 179) “Element-selective single atom imaging”,
K. Suenaga, M. Tencé, C. Mory, C. Colliex, H. Kato, T. Okazaki, H. Shinohara, K. Hirahara, S. Bandow and S. Iijima,
Science, **290**, 2280-2282 (2000).
- 180) “Pore structure of single-wall carbon nanohorn aggregates”,
K. Murata, K. Kaneko, F. Kokai, K. Takahashi, M. Yudasaka and S. Iijima,
Chem. Phys. Lett., **331**, 14-20 (2000).
- 181) “One-dimensional metallofullerene crystal generated inside single-walled carbon nanotubes”,
K. Hirahara, K. Suenaga, S. Bandow, H. Kato, T. Okazaki, H. Shinohara and S. Iijima,
Phys. Rev. Lett., **85**, 5384-5387 (2000).
- 182) “Synthesis of single-wall carbon nanotubes by millisecond-pulsed CO₂ laser vaporization at room temperature”,
F. Kokai, K. Takahashi, D. Kasuya, T. Ichihashi, M. Yudasaka and S. Iijima,
Chem. Phys. Lett., **332**, 449-454 (2000).
- 183) “Electronic properties of carbon nanohorns studied by ESR”,
S. Garaj, L. Thien-Nga, R. Gaal, L. Forró, K. Takahashi, F. Kokai, M. Yudasaka and S. Iijima,
Phys. Rev. B, **62**, 17115-17119 (2000).
- 184) “Physical properties of carbon nanografibers”,
Y. Ando, X. Zhao, H. Kataura, Y. Achiba, K. Kaneto, S. Uemura and S. Iijima,
Trans. Mater. Res. Soc. Japan, **25**, 817-820 (2000).

- 185) "Effect of oxidation on single-wall carbon nanotubes",
Shinichi Nagasawa, Masako Yudasaka, Kaori Hirahara, Toshinari Ichihashi and Sumio Iijima,
Chem. Phys. Lett., **328**, 374-380 (2000).
- 186) "Change of tube diameter distribution of single-wall carbon nanotubes induced by changing the bimetallic ratio of Ni and Y catalysts",
M. Takizawa, S. Bandow, M. Yudasaka, Y. Ando, H. Shimoyama and S. Iijima,
Chem. Phys. Lett., **326**, 351-357 (2000).
- 187) "Study of carbon nanotubes under high pressure",
J. Tang, L. C. Qin, A. Matsushita, T. Kikegawa, M. Yudasaka, S. Bandow and S. Iijima,
Mater. Res. Soc. Symp. Proc., **593**, 179-184 (2000).
- 188) "Single-wall carbon nanotube colloids in polar solvents",
Zujin Shi, Yongfu Lian, Xihuang Zhou, Zhennan Gu, Yaogang Zhang, Sumio Iijima, Qihuang Gong,
Hongdong Li and Shu-Lin Zhang,
Chem. Commun., (6) 461-462 (2000).
- 189) "Temperature dependence of the Raman spectra of single-wall carbon nanotubes",
H. D. Li, K. T. Yue, Z. L. Lian, Y. Zhan, L. X. Zhou, S. L. Zhang, Z. J. Shi, Z. N. Gu, B. B. Liu, R. S. Yang,
H. B. Yang, G. T. Zou, Y. Zhang and S. Iijima,
Appl. Phys. Lett., **76**, 2053-2055 (2000).
- 190) "Large scale synthesis of single-wall carbon nanotubes by arc-discharge method",
Zujin Shi, Yongfu Lian, Fu Hui Liao, Xihuang Zhou, Zhennan Gu, Yaogang Zhang, Sumio Iijima, Hongdong
Li, Kwok To Yue and Shu-Lin Zhang,
J. Phys. Chem. Solids, **61**, 1031-1036 (2000).
- 191) "Structure modification of single-wall carbon nanotubes",
Y. Zhang, Z. Shi, Z. Gu and S. Iijima,
Carbon, **38**, 2055-2059 (2000).
- [2001]
- 192) "In situ electron energy-loss spectroscopy on carbon nanotubes during deformation",
K. Suenaga, C. Colliex and S. Iijima,
Appl. Phys. Lett., **78**, 70-72 (2001).
- 193) "Novel polygonized single-wall carbon nanotube bundles",
M. J. López, A. Rubio, J. A. Alonso, L. -C. Qin and S. Iijima,
Phys. Rev. Lett., **86**, 3056-3059 (2001).
- 194) "Electron energy-loss spectroscopy of electron states in isolated carbon nanostructures",
K. Suenaga, E. Sandré, C. Colliex, C. J. Pickard, H. Kataura and S. Iijima,
Phys. Rev. B, **63**, 165408 (1)-(4) (2001).
- 195) "Single-wall carbon nanotubes: a high yield of tubes through laser ablation of a crude-tube target",
Minfang Zhang, Masako Yudasaka and Sumio Iijima,
Chem. Phys. Lett., **336**, 196-200 (2001).
- 196) "Novel templating synthesis of necklace-shaped mono- and bimetallic nanowires in hybrid organic-inorganic mesoporous material",
Atsushi Fukuoka, Yuzuru Sakamoto, Shiyu Guan, Shinji Inagaki, Noriaki Sugimoto, Yoshiaki Fukushima,
Kaori Hirahara, Sumio Iijima and Masaru Ichikawa,
J. Am. Chem. Soc., **123**, 3373-3374 (2001).
- 197) "Formation of C₆₀ using CO₂ laser vaporization of graphite at room temperature",
Daisuke Kasuya, Fumio Kokai, Kunimitsu Takahashi, Masako Yudasaka and Sumio Iijima,
Chem. Phys. Lett., **337**, 25-30 (2001).
- 198) "Raman scattering study of double-wall carbon nanotubes derived from the chains of fullerenes in single-wall carbon nanotubes",
S. Bandow, M. Takizawa, K. Hirahara, M. Yudasaka and S. Iijima,
Chem. Phys. Lett., **337**, 48-54 (2001).
- 199) "Diameter enlargement of HiPco single-wall carbon nanotubes by heat treatment",
M. Yudasaka, H. Kataura, T. Ichihashi, L. -C. Qin, S. Kar and S. Iijima,
Nano Lett., **1**, 487-489 (2001).

- 200) “Multiwalled carbon nanotubes grown in hydrogen atmosphere: An x-ray diffraction study”, Yutaka Maniwa, Ryuji Fujiwara, Hiroshi Kira, Hideki Tou, Eiji Nishibori, Masaki Takata, Makoto Sakata, Akihiko Fujiwara, Xinluo Zhao, Sumio Iijima and Yoshinori Ando, *Phys. Rev. B*, **64**, 073105 (1)-(4) (2001).
- 201) “Real time reaction dynamics in carbon nanotubes”, Toshiya Okazaki, Kazutomo Suenaga, Kaori Hirahara, Shunji Bandow, Sumio Iijima and Hisanori Shinohara, *J. Am. Chem. Soc.*, **123**, 9673-9674 (2001).
- 202) “Electron diffraction study of one-dimensional crystals of fullerenes”, K. Hirahara, S. Bandow, K. Suenaga, H. Kato, T. Okazaki, H. Shinohara and S. Iijima, *Phys. Rev. B*, **64**, 115420 (1)-(5) (2001).
- 203) “Thermal degradation of ragged single-wall carbon nanotubes produced by polymer-assisted ultrasonication”, Akira Koshio, Masako Yudasaka and Sumio Iijima, *Chem. Phys. Lett.*, **341**, 461-466 (2001).
- 204) “Porosity evaluation of intrinsic intraparticle nanopores of single wall carbon nanohorn”, K. Murata, K. Kaneko, W. A. Steele, F. Kokai, K. Takahashi, D. Kasuya, M. Yudasaka and S. Iijima, *Nano Lett.*, **1**, 197-199 (2001).
- 205) “Unique magnetism observed in single-wall carbon nanohorns”, S. Bandow, F. Kokai, K. Takahashi, M. Yudasaka and S. Iijima, *Appl. Phys.* **A73**, 281-285 (2001).
- 206) “Encapsulated and hollow closed-cage structures of WS₂ and MoS₂ prepared by laser ablation at 450 - 1050°C”, Rahul Sen, A. Govindaraj, K. Suenaga, S. Suzuki, H. Kataura, S. Iijima and Y. Achiba, *Chem. Phys. Lett.*, **340**, 242-248 (2001).
- 207) “A simple way to chemically react single-wall carbon nanotubes with organic materials using ultrasonication”, A. Koshio, M. Yudasaka, M. Zhang and S. Iijima, *Nano Lett.*, **1**, 361-363 (2001).
- 208) “Molecular potential structures of heat-treated single-wall carbon nanohorn assemblies”, K. Murata, K. Kaneko, W. A. Steele, F. Kokai, K. Takahashi, D. Kasuya, K. Hirahara, M. Yudasaka and S. Iijima, *J. Phys. Chem. B*, **105**, 10210-10216 (2001).
- 209) “Effect of polymer and solvent on purification and cutting of single-wall carbon nanotubes”, Minfang Zhang, Masako Yudasaka, Akira Koshio and Sumio Iijima, *Chem. Phys. Lett.*, **349**, 25-30 (2001).
- 210) “Growth of single-wall carbon nanotubes dependent on laser power density and ambient gas pressure during room-temperature CO₂ laser vaporization”, F. Kokai, K. Takahashi, D. Kasuya, M. Yudasaka and S. Iijima, *Appl. Phys.* **A73**, 401-407 (2001).
- 211) “Smallest limit of tube diameters for encasing of particular fullerenes determined by radial breathing mode Raman scattering”, S. Bandow, M. Takizawa, H. Kato, T. Okazaki, H. Shinohara and S. Iijima, *Chem. Phys. Lett.*, **347**, 23-28 (2001).
- 212) “High-yield fullerene encapsulation in single-wall carbon nanotubes”, H. Kataura, Y. Maniwa, T. Kodama, K. Kikuchi, K. Hirahara, K. Suenaga, S. Iijima, S. Suzuki, Y. Achiba and W. Krätschmer, *Synth. Met.*, **121**, 1195-1196 (2001).
- 213) “Polarised spectroscopy of individual single-wall nanotubes: Radial-breathing mode study”, J. Azoulay, A. Débarre, A. Richard, P. Tchénio, S. Bandow and S. Iijima, *Europhys. Lett.*, **53**, 407-413 (2001).

- 214) “Arc plasma jet method producing single-wall carbon nanotubes”,
Yoshinori Ando, Xinluo Zhao, Kaori Hirahara, Kazutomo Suenaga, Shunji Bandow and Sumio Iijima,
Diamond Relat. Mater., **10**, 1185-1189 (2001).
- 215) “Growth mechanisms of carbon nanotubes”,
Jean-Christophe Charlier and Sumio Iijima,
Top. Appl. Phys., **80**, 55-80 (2001).
- 216) “Structure and property changes of single-walled carbon nanotubes under pressure”,
J. Tang, L. C. Qin, T. Sasaki, M. Yudasaka, A. Matsushita and S. Iijima,
Synth. Met., **121**, 1245-1246 (2001).
- 217) “N₂ adsorption in an internal nanopore space of single-walled carbon nanohorn: GCMC simulation and experiment”,
T. Ohba, K. Murata, K. Kaneko, W. A. Steele, F. Kokai, K. Takahashi, D. Kasuya, M. Yudasaka and S. Iijima,
Nano Lett., **1**, 371-373 (2001).
- 218) “Carbon nanotubes on electrodes in short-time heteroelectrode arc”,
Hirofumi Takikawa, Yoshitaka Tao, Ryuichi Miyano, Tateki Sakakibara, Yoshinori Ando, Xinluo Zhao, Kaori Hirahara and Sumio Iijima,
Mater. Sci. Eng. C, **16**, 11-16 (2001).
- 219) “Electron microscopic imaging and contrast of smallest carbon nanotubes”,
Lu-Chang Qin, Xinluo Zhao, Kaori Hirahara, Yoshinori Ando and Sumio Iijima,
Chem. Phys. Lett., **349**, 389-393 (2001).
- [2002]
- 220) “Structure of single-wall carbon nanotubes purified and cut using polymer”,
M. Zhang, M. Yudasaka, A. Koshio, C. Jabs, T. Ichihashi and S. Iijima,
Appl. Phys. **A74**, 7-10 (2002).
- 221) “Metal-free production of high-quality multi-wall carbon nanotubes, in which the innermost nanotubes have a diameter of 0.4nm”,
Akira Koshio, Masako Yudasaka and Sumio Iijima,
Chem. Phys. Lett., **356**, 595-600 (2002).
- 222) “Effect of purification on pore structure of HiPco single-walled carbon nanotube aggregates”,
Cheol-Min Yang, Katsumi Kaneko, Masako Yudasaka and Sumio Iijima,
Nano Lett., **2**, 385-388 (2002).
- 223) “Oxidation and porosity evaluation of budlike single-wall carbon nanohorn aggregates”,
E. Bekyarova, K. Kaneko, D. Kasuya, K. Murata, M. Yudasaka and S. Iijima,
Langmuir, **18**, 4138-4141 (2002).
- 224) “Filling factors, structural, and electronic properties of C₆₀ molecules in single-wall carbon nanotubes”,
X. Liu, T. Pichler, M. Knupfer, M. S. Golden, J. Fink, H. Kataura, Y. Achiba, K. Hirahara and S. Iijima,
Phys. Rev. B, **65**, 045419 (1)-(6) (2002).
- 225) “Causes of different catalytic activities of metals in formation of single-wall carbon nanotubes”,
M. Yudasaka, Y. Kasuya, F. Kokai, K. Takahashi, M. Takizawa, S. Bandow and S. Iijima,
Appl. Phys. **A74**, 377-385 (2002).
- 226) “Classification of supercritical gas adsorption isotherms based on fluid-fluid interaction”,
K. Murata, M. Yudasaka, S. Iijima, M. El-Merraoui and K. Kaneko,
J. Appl. Phys., **91**, 10227-10229 (2002).
- 227) “Adsorbate binding energy and adsorption capacity of xenon on carbon nanohorns”,
A. J. Zambano, S. Talapatra, K. Lafdi, M. T. Aziz, W. McMillin, G. Shaughnessy, A. D. Migone, M. Yudasaka, S. Iijima, F. Kokai and K. Takahashi,
Nanotechnology, **13**, 201-204 (2002).
- 228) “Adsorption behaviors of HiPco single-walled carbon nanotube aggregates for alcohol vapors”,
Cheol-Min Yang, Hirofumi Kanoh, Katsumi Kaneko, Masako Yudasaka and Sumio Iijima,
J. Phys. Chem. B, **106**, 8994-8999 (2002).

- 229) “Field emission properties of carbon nanohorn films”,
J. –M. Bonard, R. Gaál, S. Garaj, L. Thien-Nga, L. Forró, K. Takahashi, F. Kokai, M. Yudasaka and S. Iijima,
J. Appl. Phys., **91**, 10107-10109 (2002).
- 230) “Selective production of single-wall carbon nanohorn aggregates and their formation mechanism”,
Daisuke Kasuya, Masako Yudasaka, Kunimitsu Takahashi, Fumio Kokai and Sumio Iijima,
J. Phys. Chem. B, **106**, 4947-4951 (2002).
- 231) “Fullerene formation via pyrolysis of ragged single-wall carbon nanotubes”,
A. Koshio, M. Yudasaka, M. Ozawa and S. Iijima,
Nano Lett., **2**, 995-997 (2002).
- 232) “Chemical vapor deposition of single-wall carbon nanotubes on iron-film-coated sapphire substrates”,
H. Hongo, M. Yudasaka, T. Ichihashi, F. Nihey and S. Iijima,
Chem. Phys. Lett., **361**, 349-354 (2002).
- 233) “Diameter-selective resonant Raman scattering in double-wall carbon nanotubes”,
S. Bandow, G. Chen, G. U. Sumanasekera, R. Gupta, M. Yudasaka, S. Iijima and P. C. Eklund,
Phys. Rev. B, **66**, 075416 (1)-(8) (2002).
- 234) “Micropore development and structure rearrangement of single-wall carbon nanohorn assemblies by compression”,
Elena Bekyarova, Katsumi Kaneko, Masako Yudasaka, Katsuyuki Murata, Daisuke Kasuya and Sumio Iijima,
Adv. Mater., **14**, 973-975 (2002).
- 235) “Carbon nanotubes: past, present, and future”,
Sumio Iijima,
Physica B, **323**, 1-5 (2002).
- 236) “Electronic and geometric structures of metallofullerene peapods”,
Toshiya Okazaki, Kazutomo Suenaga, Kaori Hirahara, Shunji Bandow, Sumio Iijima and Hisanori Shinohara,
Physica B, **323** 97-99 (2002).
- 237) “Preparation of fine platinum catalyst supported on single-wall carbon nanohorns for fuel cell application”,
T. Yoshitake, Y. Shimakawa, S. Kuroshima, H. Kimura, T. Ichihashi, Y. Kubo, D. Kasuya, K. Takahashi, F. Kokai, M. Yudasaka and S. Iijima,
Physica B, **323**, 124-126 (2002).
- 238) “Surface chemistry and pore structure of purified HiPco single-walled carbon nanotube aggregates”,
Cheol–Min Yang, Katsumi Kaneko, Masako Yudasaka and Sumio Iijima,
Physica B, **323**, 140-142 (2002).
- 239) “Pore structure and adsorption properties of single-walled carbon nanohorn bud-like aggregates treated in different atmospheres”,
E. Bekyarova, K. Kaneko, D. Kasuya, K. Takahashi, F. Kokai, M. Yudasaka and S. Iijima,
Physica B, **323**, 143-145 (2002).
- 240) “Transport properties of single-wall carbon nanotubes with encapsulated C₆₀”,
H. Hongo, F. Nihey, M. Yudasaka, T. Ichihashi and S. Iijima,
Physica B, **323**, 244-245 (2002).
- 241) “Fabrication of single-walled carbon nanotubes and nanohorns by means of a torch arc in open air”,
H. Takikawa, M. Ikeda, K. Hirahara, Y. Hibi, Y. Tao, P. A. Ruiz Jr., T. Sakakibara, S. Itoh and S. Iijima,
Physica B, **323**, 277-279 (2002).
- 242) “Linking chiral indices and transport properties of double-walled carbon nanotubes”,
M. Kociak, K. Suenaga, K. Hirahara, Y. Saito, T. Nakahira and S. Iijima,
Phys. Rev. Lett., **89**, 155501 (1)-(4) (2002).
- 243) “Adsorption mechanism of supercritical hydrogen in internal and interstitial nanospaces of single-wall carbon nanohorn assembly”,
K. Murata, K. Kaneko, H. Kanoh, D. Kasuya, K. Takahashi, F. Kokai, M. Yudasaka and S. Iijima,
J. Phys. Chem. B, **106**, 11132-11138 (2002).
- 244) “Thermogravimetric analysis of single-wall carbon nanotubes ultrasonicated in monochlorobenzene”,
Minfang Zhang, Masako Yudasaka, Akira Koshio and Sumio Iijima,

- Chem. Phys. Lett.*, **364**, 420-426 (2002).
- 245) “Fluorescence visualization of carbon nanotubes by modification with silicon-based polymer”, Kazunori Otohe, Hidenobu Nakao, Hideki Hayashi, Fumiyuki Nihey, Masako Yudasaka and Sumio Iijima, *Nano Lett.*, **2**, 1157-1160 (2002).
- 246) “A top-gate carbon-nanotube field-effect transistor with a titanium-dioxide insulator”, Fumiyuki Nihey, Hiroo Hongo, Masako Yudasaka and Sumio Iijima, *Jpn. J. Appl. Phys.*, **41**, L1049-L1051 (2002).
- 247) “Nanowindow-induced molecular sieving effect in a single-wall carbon nanohorn”, Katsuyuki Murata, Kaori Hirahara, Masako Yudasaka, Sumio Iijima, Daisuke Kasuya and Katsumi Kaneko, *J. Phys. Chem. B* **106**, 12668-12669 (2002).
- 248) “Mass production of multiwalled carbon nanotubes by hydrogen arc discharge”, Yoshinori Ando, Xinluo Zhao, Sakae Inoue and Sumio Iijima, *J. Cryst. Growth*, **237-239**, 1926-1930 (2002).
- 249) “Tribological properties of diamond-like carbon films prepared by mass-separated ion beam deposition”, Kazuhiro Yamamoto, Koichiro Wazumi, Toshiya Watanabe, Yoshinori Koga and Sumio Iijima, *Diamond Relat. Mater.*, **11**, 1130-1134 (2002).
- 250) “Electron microscopic characterization of silver nanowire arrays”, Sumio Iijima and Lu-Chang Qin, *Science*, **296**, 611 (2002).
- 251) “Abnormal anti-stokes Raman scattering of carbon nanotubes”, Shu-Lin Zhang, Xinhua Hu, Hongdong Li, Zujin Shi, Kwok To Yue, Jian Zi, Zhennan Gu, Xiahua Wu, Zilong Lian, Yong Zhan, Fumin Huang, Lixia Zhou, Yaogang Zhang and Sumio Iijima, *Phys. Rev. B*, **66**, 035413 (1)-(5) (2002).
- 252) “Growth dynamics of single-wall carbon nanotubes and nanohorn aggregates by CO₂ laser vaporization at room temperature”, F. Kokai, K. Takahashi, D. Kasuya, M. Yudasaka and S. Iijima, *Appl. Surf. Sci.*, **197-198**, 650-655 (2002).
- 253) “Cluster-mediated filling of water vapor in intratube and interstitial nanospaces of single-wall carbon nanohorns”, E. Bekyarova, Y. Hanzawa, K. Kaneko, J. Silvestre-Albero, A. Sepulveda-Escribano, F. Rodriguez-Reinoso, D. Kasuya, M. Yudasaka and S. Iijima, *Chem. Phys. Lett.*, **366**, 463-468 (2002).
- 254) “Synthesis of crystalline boron nanowires by laser ablation”, Yingju Zhang, Hiroki Ago, Motoo Yumura, Toshiki Komatsu, Satoshi Ohshima, Kunio Uchida and Sumio Iijima, *Chem. Commun.*, **23**, 2806-2807 (2002).
- 255) “Carbon nanotubes from camphor by catalytic CVD”, M. Kumar, X. Zhao, Y. Ando, S. Iijima, M. Sharon and K. Hirahara, *Mol. Cryst. Liq. Cryst.*, **387**, 117-121 (2002).
- 256) “Comparative study on physical adsorption of vapor and supercritical H₂ and CH₄ on SWNH and ACF”, H. Tanaka, J. Miyawaki, K. Kaneko, K. Murata, D. Kasuya, M. Yudasaka, F. Kokai, K. Takahashi and S. Iijima, *Mol. Cryst. Liq. Cryst.*, **388**, 15-21 (2002).
- 257) “Revealing properties of single-walled carbon nanotubes under high pressure”, Jie Tang, Lu-Chang Qin, Taizo Sasaki, Masako Yudasaka, Akiyuki Matsushita and Sumio Iijima, *J. Phys.: Condens. Matter*, **14**, 10575-10578 (2002).
- 258) “Separation of adsorption isotherms of N₂ in internal and interstitial nanopores of single-walled carbon nanohorn –A comparative study with experiment and simulation”, T. Ohba, H. Kanoh, K. Murata, M. Yudasaka, S. Iijima and K. Kaneko, *Stud. Surf. Sci. Catal.*, **144**, 521-527 (2002).
- [2003]
- 259) “Laser vaporization synthesis of polyhedral graphite”,

- F. Kokai, K. Takahashi, D. Kasuya, A. Nakayama, Y. Koga, M. Yudasaka and S. Iijima, *Appl. Phys.* **A77**, 69-71 (2003).
- 260) "Direct observation of 3D mesoporous structure by scanning electron microscopy (SEM): SBA-15 silica and CMK-5 Carbon",
S. Che, K. Lund, T. Tatsumi, S. Iijima, S. H. Joo, R. Ryoo and O. Terasaki, *Angew. Chem., Int. Ed.* **42**, 2182-2185 (2003).
- 261) "Structure changes of single-wall carbon nanotubes and single-wall carbon nanohorns caused by heat treatment",
M. Yudasaka, T. Ichihashi, D. Kasuya, H. Kataura and S. Iijima, *Carbon*, **41**, 1273-1280 (2003).
- 262) "Diameter-selective removal of single-wall carbon nanotubes through light-assisted oxidation",
M. Yudasaka, M. Zhang and S. Iijima, *Chem. Phys. Lett.*, **374**, 132-136 (2003).
- 263) "Controlled opening of single-wall carbon nanohorns by heat treatment in carbon dioxide",
Elena Bekyarova, Katsumi Kaneko, Masako Yudasaka, Daisuke Kasuya, Sumio Iijima, Ana Huidobro and Francisco Rodriguez-Reinoso, *J. Phys. Chem. B*, **107**, 4479-4484 (2003).
- 264) "Single-wall nanostructured carbon for methane storage",
Elena Bekyarova, Katsuyuki Murata, Masako Yudasaka, Daisuke Kasuya, Sumio Iijima, Hideki Tanaka, Hirofumi Kanoh and Katsumi Kaneko, *J. Phys. Chem. B*, **107**, 4681-4684 (2003).
- 265) "Nano-extraction and nano-condensation for C₆₀ incorporation into single-wall carbon nanotubes in liquid phases",
Masako Yudasaka, Kumiko Ajima, Kazutomo Suenaga, Toshinari Ichihashi, Ayako Hashimoto and Sumio Iijima, *Chem. Phys. Lett.*, **380**, 42-46 (2003).
- 266) "Carbon-nanotube field-effect transistors with very high intrinsic transconductance",
Fumiyouki Nihey, Hiroo Hongo, Yukinori Ochiai, Masako Yudasaka and Sumio Iijima, *Jpn. J. Appl. Phys.*, **42**, L1288-L1291 (2003).
- 267) "Binary nanomaterials based on nanocarbons: A case for probing carbon nanohorns' biorecognition properties",
Jin Zhu, Daisuke Kase, Kiyotaka Shiba, Daisuke Kasuya, Masako Yudasaka and Sumio Iijima, *Nano Lett.*, **3**, 1033-1036 (2003).
- 268) "A surface modification approach to the patterned assembly of single-walled carbon nanomaterials",
Jin Zhu, Masako Yudasaka, Minfang Zhang, Daisuke Kasuya and Sumio Iijima, *Nano Lett.*, **3**, 1239-1243 (2003).
- 269) "Support materials based on converted aluminum films for chemical vapor deposition growth of single-wall carbon nanotubes",
H. Hongo, F. Nihey, T. Ichihashi, Y. Ochiai, M. Yudasaka and S. Iijima, *Chem. Phys. Lett.*, **380**, 158-164 (2003).
- 270) "Structure and electronic properties of a nongraphitic disordered carbon system and its heat-treatment effects",
Kazuyuki Takai, Meigo Oga, Hirohiko Sato, Toshiaki Enoki, Yoshimasa Ohki, Akira Taomoto, Kazutomo Suenaga and Sumio Iijima, *Phys. Rev. B*, **67**, 214202 (1)-(11) (2003).
- 271) "Evidence for substantial interaction between Gd ion and SWNT in (Gd@C₈₂)@SWNT peapods revealed by STM studies",
K. Kimura, N. Ikeda, Y. Maruyama, T. Okazaki, H. Shinohara, S. Bandow and S. Iijima, *Chem. Phys. Lett.*, **379**, 340-344 (2003).
- 272) "Evidence for the intramolecular motion of Gd atoms in a Gd₂@C₉₂ nanopeapod",
Kazu Suenaga, Risa Taniguchi, Takashi Shimada, Toshiya Okazaki, Hisanori Shinohara and Sumio Iijima, *Nano Lett.*, **3**, 1395-1398 (2003).
- 273) "A catalytic chemical vapor deposition synthesis of double-walled carbon nanotubes over metal catalysts supported on a mesoporous material",
Jin Zhu, Masako Yudasaka and Sumio Iijima,

- Chem. Phys. Lett.*, **380**, 496-502 (2003).
- 274) “High-resolution electron microscopy of individual metallofullerene molecules on the dipole orientations in peapods”,
K. Suenaga, T. Okazaki, K. Hirahara, S. Bandow, H. Kato, A. Taninaka, H. Shinohara and S. Iijima,
Appl. Phys. **A76**, 445-447 (2003).
- 275) “Direct imaging of Sc₂@C₈₄ molecules encapsulated inside single-wall carbon nanotubes by high resolution electron microscopy with atomic sensitivity”,
K. Suenaga, T. Okazaki, C. -R. Wang, S. Bandow, H. Shinohara and S. Iijima,
Phys. Rev. Lett., **90**, 055506 (1)-(4) (2003).
- 276) “Thermogravimetric analysis for the array of C₆₀ molecules formed in single-wall carbon nanotube”,
M. Zhang, M. Yudasaka, S. Bandow and S. Iijima,
Chem. Phys. Lett., **369**, 680-683 (2003).
- 277) “Chemically doped double-walled carbon nanotubes: Cylindrical molecular capacitors”,
Gugang Chen, S. Bandow, E. R. Margine, C. Nisoli, A. N. Kolmogorov, Vincent H. Crespi, R. Gupta, G. U. Sumanasekera, S. Iijima and P. C. Eklund,
Phys. Rev. Lett., **90**, 257403 (1)-(4) (2003).
- 278) “How accurate can the determination of chiral indices of carbon nanotubes be? An experimental investigation of chiral indices determination on DWNT by electron diffraction”,
M. Kociak, K. Hirahara, K. Suenaga and S. Iijima,
Eur. Phys. J. B, **32**, 457-469 (2003).
- 279) “Carbon films deposited with mass-selected carbon ion beams under substrate heating”,
Kazuhiro Yamamoto, Toshiya Watanabe, Koichiro Wazumi, Yoshinori Koga and Sumio Iijima,
Surf. Coat. Technol., **169-170**, 328-331 (2003).
- 280) “Porosity tuning of single-wall carbon nanohorns with gaseous activation”,
E. Bekyarova, K. Murata, K. Kaneko, D. Kasuya, M. Yudasaka and S. Iijima,
Stud. Surf. Sci. Catal., **146**, 395-398 (2003).
- 281) “Effect of substrate temperature on the structure and chemical bonds of carbon films deposited with a mass-separated carbon ion beam”,
Kazuhiro Yamamoto, Toshiya Watanabe, Koichiro Wazumi, Yoshinori Koga and Sumio Iijima,
Diamond Relat. Mater., **12**, 2088-2092 (2003).
- 282) “Optical CO sensitivity of Au-CuO composite film by use of the plasmon absorption change”,
Masanori Ando, Tetsuhiko Kobayashi, Sumio Iijima and Masatake Haruta,
Sens. Actuators, B, **96**, 589-595 (2003).
- [2004]
- 283) “Raman scattering study on fullerene derived intermediates formed within single-wall carbon nanotube: from peapod to double-wall carbon nanotube”,
S. Bandow, T. Hiraoka, T. Yumura, K. Hirahara, H. Shinohara and S. Iijima,
Chem. Phys. Lett., **384**, 320-325 (2004).
- 284) “Diameter enlargement of single-wall carbon nanotubes by oxidation”,
M. Zhang, M. Yudasaka and S. Iijima,
J. Phys. Chem. B, **108**, 149-153 (2004).
- 285) “Study of the growth of boron nanowires synthesized by laser ablation”,
Yingjiu Zhang, Hiroki Ago, Motoo Yumura, Satoshi Ohshima, Kunio Uchida, Toshiki Komatsu and Sumio Iijima,
Chem. Phys. Lett., **385**, 177-183 (2004).
- 286) “Material storage mechanism in porous nanocarbon”,
Kumiko Ajima, Masako Yudasaka, Kazu Suenaga, Daisuke Kasuya, Takeshi Azami and Sumio Iijima,
Adv. Mater., **16**, 397-401 (2004).

- 287) “A theoretical study on the geometrical features on finite-length carbon nanotubes capped with fullerene hemisphere”,
Takashi Yumura, Kaori Hirahara, Shunji Bandow, Kazunari Yoshizawa and Sumio Iijima,
Chem. Phys. Lett., **386**, 38-43 (2004).
- 288) “The synthesis of In, In₂O₃ nanowires and In₂O₃ nanoparticles with shape-controlled”,
Yingjiu Zhang, Hiroki Ago, Jun Liu, Motoo Yumura, Kunio Uchida, Satoshi Ohshima, Sumio Iijima, Jing Zhu and Xiaozhong Zhang,
J. Cryst. Growth, **264**, 363-368 (2004).
- 289) “Turning peapods into double-walled carbon nanotubes”,
S. Bandow, K. Hirahara, T. Hiraoka, G. Chen, P. C. Eklund and S. Iijima,
MRS Bulletin, **29**, 260-264 (2004).
- 290) “Synthesis of carbon nanohorn particles by simple pulsed arc discharge ignited between pre-heated carbon rods”,
T. Yamaguchi, S. Bandow and S. Iijima,
Chem. Phys. Lett., **389**, 181-185 (2004).
- 291) “Interstitial nanopore change of single wall carbon nanohorn assemblies with high temperature treatment”,
T. Ohba, T. Omori, H. Kanoh, M. Yudasaka, S. Iijima and K. Kaneko,
Chem. Phys. Lett., **389**, 332-336 (2004).
- 292) “Fe-Sapphire and C-Fe-Sapphire interactions and their effect on the growth of single-walled carbon nanotubes by chemical vapor deposition”,
M. Yudasaka, Y. Kasuya, F. Jing, M. Zhang and S. Iijima,
J. Nanosci. Nanotechnol., **4**, 428-432 (2004).
- 293) “Structural evolutions of carbon nano-peapods under electron microscopic observation”,
Alexandre Gloter, Kazutomo Suenaga, Hiromichi Kataura, Ryosuke Fujii, Takeshi Kodama, Hiroyuki Nishikawa, Isao Ikemoto, Koichi Kikuchi, Shinzo Suzuki, Yohji Achiba and Sumio Iijima,
Chem. Phys. Lett., **390**, 462-466 (2004).
- 294) “Compression of polyhedral graphite up to 43 GPa and x-ray diffraction study on elasticity and stability of the graphite phase”,
Atsuko Nakayama, Sumio Iijima, Yoshinori Koga, Katsuya Shimizu, Kaori Hirahara and Fumio Kokai,
Appl. Phys. Lett., **84**, 5112-5114 (2004).
- 295) “Direct thermal fluorination of single wall carbon nanohorns”,
Yoshiyuki Hattori, Hirofumi Kanoh, Fujio Okino, Hidekazu Touhara, Daisuke Kasuya, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
J. Phys. Chem. B, **108**, 9614-9618 (2004).
- 296) “The use of charge transfer to enhance the methane-storage capacity of single-walled, nanostructured carbon”,
Katsuyuki Murata, Ayako Hashimoto, Masako Yudasaka, Daisuke Kasuya, Katsumi Kaneko and Sumio Iijima,
Adv. Mater., **16**, 1520-1522 (2004).
- 297) “Selective deposition of a gadolinium (III) cluster in a hole opening of single-wall carbon nanohorn”,
Ayako Hashimoto, Hideki Yorimitsu, Kumiko Ajima, Kazutomo Suenaga, Hiroyuki Isobe, Jin Miyawaki, Masako Yudasaka, Sumio Iijima and Eiichi Nakamura,
Proc. Natl. Acad. Sci., **101**, 8527-8530 (2004).
- 298) “Solvent effects on hole-edge structure for single-wall carbon nanotubes and single-wall carbon nanohorns”,
Jin Miyawaki, Masako Yudasaka and Sumio Iijima,
J. Phys. Chem. B, **108**, 10732-10735 (2004).
- 299) “The role of fullerene hemispheres in determining structural features of finite-length carbon nanotubes”,
Takashi Yumura, Shunji Bandow, Kazunari Yoshizawa and Sumio Iijima,
J. Phys. Chem. B, **108**, 11426-11434 (2004).
- 300) “Preferential deposition of Pt nanoparticles inside single-walled carbon nanohorns”,
Ryota Yuge, Toshinari Ichihashi, Yuichi Shimakawa, Yoshimi Kubo, Masako Yudasaka and Sumio Iijima,
Adv. Mater., **16**, 1420-1423 (2004).

- 301) “Direct evidence for atomic defects in graphene layers”,
Ayako Hashimoto, Kazu Suenaga, Alexandre Gloter, Koki Urita and Sumio Iijima,
Nature, **430**, 870-873 (2004).
- 302) “Influence of water on desorption rates of benzene adsorbed within single-wall carbon nanohorns”,
J. Fan, M. Yudasaka, Y. Kasuya, D. Kasuya and S. Iijima,
Chem. Phys. Lett., **397**, 5-10 (2004).
- 303) “Dispersing carbon nanotubes in water: A noncovalent and nonorganic way”,
Jin Zhu, Masako Yudasaka, Minfang Zhang and Sumio Iijima,
J. Phys. Chem. B, **108**, 11317-11320 (2004).
- 304) “Affinity selection of peptide phage libraries against single-wall carbon nanohorns identifies a peptide aptamer with conformational variability”,
Daisuke Kase, John L. Kulp, Masako Yudasaka, John Spencer Evans, Sumio Iijima and Kiyotaka Shiba,
Langmuir, **20**, 8939-8941 (2004).
- 305) “Carbon nanotube radio-frequency single-electron transistor”,
Leif Roschier, Mika Sillanpää, Wang Taihong, Markus Ahlskog, Sumio Iijima and Pertti Hakonen,
J. Low Temp. Phys., **136**, 465-480 (2004).
- 306) “Drug-loaded carbon nanohorns: Adsorption and release of dexamethasone in vitro”,
Tatsuya Murakami, Kumiko Ajima, Jin Miyawaki, Masako Yudasaka, Sumio Iijima and Kiyotaka Shiba,
Mol. Pharm., **1**, 399-405 (2004).
- 307) “Water-assisted highly efficient synthesis of impurity-free single-walled carbon nanotubes”,
Kenji Hata, Don N. Futaba, Kohei Mizuno, Tatsunori Namai, Motoo Yumura and Sumio Iijima,
Science, **306**, 1362-1364 (2004).
- 308) “Production of large-diameter single-wall carbon nanotubes by adding Fe to a NiCo catalyst in laser ablation”,
Minfang Zhang, Masako Yudasaka and Sumio Iijima,
J. Phys. Chem. B, **108**, 12757-12762 (2004).
- 309) “Three nanostructured graphitic particles and their growth mechanisms from high-temperature carbon vapor confined by Ar gas”,
F. Kokai, A. Koshio, D. Kasuya, K. Hirahara, K. Takahashi, A. Nakayama, M. Ishihara, Y. Koga and S. Iijima,
Carbon, **42**, 2515-2520 (2004).
- 310) “Modification of carbon nanotubes by laser ablation of copper”,
A. Koshio, M. Shiraishi, Y. Kobayashi, M. Ishihara, Y. Koga, S. Bandow, S. Iijima and F. Kokai,
Chem. Phys. Lett., **396**, 410-414 (2004).
- 311) “Quantum effects on hydrogen adsorption in internal nanospaces of single-wall carbon nanohorns”,
Hideki Tanaka, Hirofumi Kanoh, Mustapha El-Merraoui, William Arthur Steele, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
J. Phys. Chem. B, **108**, 17457-17465 (2004).
- 312) “Microporosity development of single-wall carbon nanohorn with chemically induced coalescence of the assembly structure”,
Cheol-Min Yang, Daisuke Kasuya, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
J. Phys. Chem. B, **108**, 17775-17782 (2004).
- 313) “Defect-induced atomic migration in carbon nanopeapod: Tracking the single-atom dynamic behavior”,
Koki Urita, Yuta Sato, Kazu Suenaga, Alexandre Gloter, Ayako Hashimoto, Masashi Ishida, Takashi Shimada, Hisanori Shinohara and Sumio Iijima,
Nano Lett., **4**, 2451-2454 (2004).
- 314) “Preparation and magnetic properties of hollow nano-spheres of cobalt and cobalt oxide: Drastic cooling-field effects on remnant magnetization of antiferromagnet”,
Hirofumi Yoshikawa, Kenta Hayashida, Yasuharu Kozuka, Asami Horiguchi, Kunio Awaga, Shunji Bandow and Sumio Iijima,
Appl. Phys. Lett., **85**, 5287-5289 (2004).
- 315) “Stretching of carbon-carbon bonds in a 0.7nm diameter carbon nanotube studied by electron diffraction”,
Kaori Hirahara, Shunji Bandow, Hiromichi Kataura, Mathieu Kociak and Sumio Iijima,
Phys. Rev. B, **70**, 205422 (1)-(7) (2004).

[2005]

- 316) “Magnetism of adsorbed oxygen on carbon nanohorns”,
S. Bandow, T. Yamaguchi and S. Iijima,
Chem. Phys. Lett., **401**, 380-384 (2005).
- 317) “Selective matching of catalyst element and carbon source in single-walled carbon nanotube synthesis on silicon substrates”,
Kohei Mizuno, Kenji Hata, Takeshi Saito, Satoshi Ohshima, Motoo Yumura and Sumio Iijima,
J. Phys. Chem. B, **109**, 2632-2637 (2005).
- 318) “Anomalous contraction of the C-C bond length in semiconducting carbon nanotubes observed during Cs doping”,
Gugang Chen, C. A. Furtado, S. Bandow, S. Iijima and P. C. Eklund,
Phys. Rev. B, **71**, 045408 (1)-(6) (2005).
- 319) “Direct imaging of the Alkali metal site in K-doped fullerene peapods”,
Lunhui Guan, Kazu Suenaga, Zujin Shi, Zhennan Gu and Sumio Iijima,
Phys. Rev. Lett., **94**, 045502 (1)-(4) (2005).
- 320) “Atomic correlation between adjacent graphene layers in double-wall carbon nanotubes”,
Ayako Hashimoto, Kazu Suenaga, Koki Urita, Takashi Shimada, Toshiki Sugai, Shunji Bandow, Hisanori Shinohara and Sumio Iijima,
Phys. Rev. Lett., **94**, 045504 (1)-(4) (2005).
- 321) “Palladium nanoclusters deposited on single-walled carbon nanohorns”,
Elena Bekyarova, Ayako Hashimoto, Masako Yudasaka, Yoshiyuki Hattori, Katsuyuki Murata, Hirofumi Kanoh, Daisuke Kasuya, Sumio Iijima and Katsumi Kaneko,
J. Phys. Chem. B, **109**, 3711-3714 (2005).
- 322) “Dissociation of electrolytes in a nano-aqueous system within single-wall carbon nanotubes”,
M. Zhang, M. Yudasaka and S. Iijima,
J. Phys. Chem. B, **109**, 6037-6039 (2005).
- 323) “Quasi one-dimensional nanopores in single-wall carbon nanohorn colloids using grand canonical monte carlo simulation aided adsorption technique”,
Tomonori Ohba, Hirofumi Kanoh, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
J. Phys. Chem. B, **109**, 8659-8662 (2005).
- 324) “Studies on the adsorption of organic materials inside thick carbon nanotubes”,
Masako Yudasaka, Jing Fan, Jin Miyawaki and Sumio Iijima,
J. Phys. Chem. B, **109**, 8909-8913 (2005).
- 325) “Highly ultramicroporous single-walled carbon nanohorn assemblies”,
Cheol-Min Yang, Hiroshi Noguchi, Katsuyuki Murata, Masako Yudasaka, Ayako Hashimoto, Sumio Iijima and Katsumi Kaneko,
Adv. Mater., **17**, 866-870 (2005).
- 326) “In situ observation of thermal relaxation of interstitial-vacancy pair defects in a graphite gap”,
Koki Urita, Kazu Suenaga, Toshiki Sugai, Hisanori Shinohara and Sumio Iijima,
Phys. Rev. Lett., **94**, 155502 (1)-(4) (2005).
- 327) “Size control of metal nanoparticle catalysts for the Gas-phase synthesis of single-walled carbon nanotubes”,
Takeshi Saito, Satoshi Ohshima, Wei-Chun Xu, Hiroki Ago, Motoo Yumura and Sumio Iijima,
J. Phys. Chem. B, **109**, 10647-10652 (2005).
- 328) “Quantum effects on hydrogen isotope adsorption on single-wall carbon nanohorns”,
Hideki Tanaka, Hirofumi Kanoh, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
J. Am. Chem. Soc., **127**, 7511-7516 (2005).
- 329) “Micrometer-sized graphitic balls produced together with single-wall carbon nanohorns”,
Jing Fan, Masako Yudasaka, Daisuke Kasuya, Takeshi Azami, Ryota Yuge, Hideto Imai, Yoshimi Kubo and Sumio Iijima,
J. Phys. Chem. B, **109**, 10756-10759 (2005).

- 330) “Additive effect of carbon nanohorn on grease lubrication properties”,
Katsunori Kobayashi, Seiichiro Hironaka, Akihiro Tanaka, Kazunori Umeda, Sumio Iijima, Masako Yudasaka, Daisuke Kasuya and Masahiro Suzuki,
J. Jpn. Pet. Inst., **48**, 121-126 (2005).
- 331) “EXAFS study of electrolytic nanosolution confined in interstitial nanospaces of single-wall carbon nanohorn colloids”,
T. Ohkubo, Y. Hattori, H. Kanoh, T. Konishi, H. Sakai, M. Abe, D. Kasuya, M. Yudasaka, S. Iijima, T. Fujikawa and K. Kaneko,
Phys. Scr., **T**, **115**, 685-687 (2005).
- 332) “Directed assembly of nanostructured carbon materials on to patterned polymer surfaces”,
J. Zhu, M. Yudasaka, M. Zhang, J. Fan, D. Kasuya and S. Iijima,
Appl. Phys. **A81**, 449-452 (2005).
- 333) “Friction and wear of carbon nanohorn-containing polyimide composites”,
A. Tanaka, K. Umeda, M. Yudasaka, M. Suzuki, T. Ohana, M. Yumura and S. Iijima,
Tribol. Lett., **19**, 135-142 (2005).
- 334) “Opening mechanism of internal nanoporosity of single-wall carbon nanohorn”,
Shigenori Utsumi, Jin Miyawaki, Hideki Tanaka, Yoshiyuki Hattori, Takaomi Itoi, Nobuyuki Ichikuni, Hirofumi Kanoh, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
J. Phys. Chem. B, **109**, 14319-14324 (2005).
- 335) “Quantum nature of adsorbed hydrogen on single-wall carbon nanohorns”,
H. Tanaka, J. Fan, H. Kanoh, M. Yudasaka, S. Iijima and K. Kaneko,
Mol. Simul., **31**, 465-474 (2005).
- 336) “End-cap effects on vibrational structures of finite-length carbon nanotubes”,
Takashi Yumura, Daijirou Nozaki, Shunji Bandow, Kazunari Yoshizawa and Sumio Iijima,
J. Am. Chem. Soc., **127**, 11769-11776 (2005).
- 337) “Structural identification of single and double-walled carbon nanotubes by high-resolution transmission electron microscopy”,
Hongwei Zhu, Kazutomo Suenaga, Ayako Hashimoto, Kouki Urita and Sumio Iijima,
Chem. Phys. Lett., **412**, 116-120 (2005).
- 338) “Photocurrent spectroscopy of double wall carbon nanotubes”,
A. Mohite, G. U. Sumanasekera, K. Hirahara, S. Bandow, S. Iijima and B. W. Alphenaar,
Chem. Phys. Lett., **412**, 190-194 (2005).
- 339) “Kinetics of water-assisted single-walled carbon nanotube synthesis revealed by a time-evolution analysis”,
Don Futaba, Kenji Hata, Takeo Yamada, Kohei Mizuno, Motoo Yumura and Sumio Iijima,
Phys. Rev. Lett., **95**, 056104 (1)-(4) (2005).
- 340) “Endowing a ferritin-like cage protein with high affinity and selectivity for certain inorganic materials”,
Ken-ichi Sano, Kumiko Ajima, Kenji Iwahori, Masako Yudasaka, Ichiro Yamashita and Kiyotaka Shiba,
Small, **1**, 826-832 (2005).
- 341) “High-density of methane confined in internal nanospace of single-wall carbon nanohorns”,
Katsuyuki Murata, Jin Miyawaki, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
Carbon, **43**, 2826-2830 (2005).
- 342) “Controlling the incorporation and release of C₆₀ in nanometer-scale hollow spaces inside single-wall carbon nanohorns”,
Ryota Yuge, Masako Yudasaka, Jin Miyawaki, Yoshimi Kubo, Toshinari Ichihashi, Hideto Imai, Eiichi Nakamura, Hiroyuki Isobe, Hideki Yorimitsu and Sumio Iijima,
J. Phys. Chem. B, **109**, 17861-17867 (2005).
- 343) “Atomic force microscopy on imogolite, aluminosilicate nanotube, adsorbed on Au(111) surface”,
Yoshihisa Ohrai, Tomoaki Gozu, Shoji Yoshida, Osamu Takeuchi, Sumio Iijima and Hidemi Shigekawa,
Jpn. J. Appl. Phys., Part 1, **44**, 5397-5399 (2005).
- 344) “Formation of small-diameter carbon nanotubes from PTCDA arranged inside the single-wall carbon nanotubes”,
Y. Fujita, S. Bandow and S. Iijima,
Chem. Phys. Lett., **413**, 410-414 (2005).

- 345) “Fabrication and STM-characterization of novel hybrid materials of DNA/carbon nanotube”, Megumi Iijima, Toshiaki Watabe, Shun Ishii, Akira Koshio, Takashi Yamaguchi, Shunji Bandow, Sumio Iijima, Kenji Suzuki and Yusei Maruyama, *Chem. Phys. Lett.*, **414**, 520-524 (2005).
- 346) “Which do endohedral Ti_2C_{80} metallofullerenes prefer energetically: Ti_2C_{80} or $Ti_2C_2@C_{78}$? A theoretical study”, Takashi Yumura, Yuta Sato, Kazutomo Suenaga and Sumio Iijima, *J. Phys. Chem. B*, **109**, 20251-20255.
- 347) “Carbon nanohorns as anticancer drug carriers”, Kumiko Ajima, Masako Yudasaka, Tatsuya Murakami, Alan Maigne, Kiyotaka Shiba and Sumio Iijima, *Mol. Pharm.*, **2**, 475-480 (2005).
- 348) “Isolating single-wall carbon nanohorns as small aggregates through a dispersion method”, M. Zhang, M. Yudasaka, J. Miyawaki, J. Fan and S. Iijima, *J. Phys. Chem. B*, **109**, 22201-22204 (2005).
- 349) “Determination of optical isomers for left-handed or right-handed chiral double-wall carbon nanotubes”, Zheng Liu, Kazu Suenaga, Hiromichi Yoshida, Toshiki Sugai, Hisanori Shinohara and Sumio Iijima, *Phys. Rev. Lett.*, **95**, 187406 (1)-(4) (2005).
- 350) “Photoluminescence mapping of “As-Grown” single-walled carbon nanotubes: A comparison with micelle-encapsulated nanotube solutions”, Toshiya Okazaki, Takeshi Saito, Koji Matsuura, Satoshi Ohshima, Motoo Yumura and Sumio Iijima, *Nano Lett.*, **5**, 2618-2623 (2005).
- 351) “Atomic-resolution imaging of the nucleation points of single-walled carbon nanotubes”, Hongwei Zhu, Kazutomo Suenaga, Ayako Hashimoto, Koki Urita, Kenji Hata and Sumio Iijima, *Small*, **1**, 1180-1183 (2005).
- 352) “Entrapping of exohedral metallofullerenes in carbon nanotubes: $(CsC_{60})_n@SWNT$ nano-peapods”, Bao-Yun Sun, Yuta Sato, Kazutomo Suenaga, Toshiya Okazaki, Naoki Kishi, Toshiki Sugai, Shunji Bandow, Sumio Iijima and Hisanori Shinohara, *J. Am. Chem. Soc.*, **127**, 17972-17973 (2005).
- 353) “Bending of multiwalled carbon nanotubes over gold lines”, T. Walkejärvi, J. Lievonen, M. Ahlskog, J. Åström, A. Koshio, M. Yudasaka and S. Iijima, *J. Appl. Phys.*, **98**, 104301 (1)-(4) (2005).
- [2006]
- 354) “Hydrogen production from methane and water at low temperature using EuPt supported on single-wall carbon nanohorns”, Katsuyuki Murata, Masako Yudasaka and Sumio Iijima, *Carbon*, **44**, 818-820 (2006).
- 355) “Control of hole opening in single-wall carbon nanotubes and single-wall carbon nanohorns using oxygen”, Jing Fan, Masako Yudasaka, Jin Miyawaki, Kumiko Ajima, Katsuyuki Murata and Sumio Iijima, *J. Phys. Chem. B*, **110**, 1587-1591 (2006).
- 356) “Raman scattering study for heat-treated carbon nanotubes: The origin of $\cong 1855\text{cm}^{-1}$ Raman band”, M. Jinno, Y. Ando, S. Bandow, J. Fan, M. Yudasaka and S. Iijima, *Chem. Phys. Lett.*, **418**, 109-114 (2006).
- 357) “AFM imaging of wrapped multiwall carbon nanotube in DNA”, H. Takahashi, S. Numao, S. Bandow and S. Iijima, *Chem. Phys. Lett.*, **418**, 535-539 (2006).
- 358) “Effect of functional groups at hole edges on Cisplatin release from inside single-wall carbon nanohorns”, K. Ajima, M. Yudasaka, A. Maigne, J. Miyawaki and S. Iijima, *J. Phys. Chem. B*, **110**, 5773-5778 (2006).
- 359) “Synthesis of ultrafine Gd_2O_3 nanoparticles inside single-wall carbon nanohorns”, J. Miyawaki, M. Yudasaka, H. Imai, H. Yorimitsu, H. Isobe, E. Nakamura and S. Iijima, *J. Phys. Chem. B, Lett.*, **110**, 5179-5181 (2006).

- 360) "Photoluminescence and population analysis of single-walled carbon nanotubes produced by CVD and pulsed-laser vaporization methods",
Toshiya Okazaki, Takeshi Saito, Koji Matsuura, Satoshi Ohshima, Motoo Yumura, Yuji Oyama, Riichiro Saito and Sumio Iijima,
Chem. Phys. Lett., **420**, 286-290 (2006).
- 361) "Supermolecular catalysts for the Gas-phase synthesis of single-walled carbon nanotubes",
Takeshi Saito, Wei-Chun Xu, Satoshi Ohshima, Hiroki Ago, Motoo Yumura and Sumio Iijima,
J. Phys. Chem. B, **110**, 5849-5853 (2006).
- 362) "Transmission electron microscopy imaging of individual functional groups of fullerene derivatives",
Zheng Liu, Masanori Koshino, Kazu Suenaga, Ales Mrzel, Hiromichi Kataura and Sumio Iijima,
Phys. Rev. Lett., **96**, 088304 (1)-(4) (2006).
- 363) "Preparing a magnetically responsive single-wall carbon nanohorn colloid by anchoring magnetite nanoparticles",
Shigenori Utsumi, Koki Urita, Hirofumi Kanoh, Masako Yudasaka, Kazutomo Suenaga, Sumio Iijima and Katsumi Kaneko,
J. Phys. Chem. B, **110**, 7165-7170 (2006).
- 364) "Functionalization of carbon nanohorns with azomethine ylides: towards solubility enhancement and electron-transfer processes",
Nikos Tagmatarchis, Alan Maigné, Masako Yudasaka and Sumio Iijima,
Small, **2**, 490-494 (2006).
- 365) "84% catalyst activity of water-assisted growth of single walled carbon nanotube forest characterization by a statistical and macroscopic approach",
Don N. Futaba, Kenji Hata, Tatsunori Namai, Takeo Yamada, Kohei Mizuno, Yuhei Hayamizu, Motoo Yumura and Sumio Iijima,
J. Phys. Chem., **110**, 8035-8038 (2006).
- 366) "Changes in the fluorescence spectrum of individual single-wall carbon nanotubes induced by light-assisted oxidation with hydroperoxide",
M. Zhang, M. Yudasaka, Y. Miyauchi, S. Maruyama and S. Iijima,
J. Phys. Chem. B, **110**, 8935-8940 (2006).
- 367) "¹³C NMR spectroscopy of carbon nanohorns",
Hideto Imai, Pankkattu K. Babu, Eric Oldfield, Andrzej Wieckowski, Daisuke Kasuya, Takeshi Azami, Yuichi Shimokawa, Masako Yudasaka, Yoshimi Kubo and Sumio Iijima,
Phys. Rev. B, **73**, 125405 (1)-(7) (2006).
- 368) "In vivo magnetic resonance imaging of single-wall carbon nanohorns by labeling with magnetite nanoparticles",
Jin Miyawaki, Masako Yudasaka, Hideto Imai, Hideki Yorimitsu, Hiroyuki Isobe, Eiichi Nakamura and Sumio Iijima,
Adv. Mater., **18**, 1010-1014 (2006).
- 369) "Control on the diameter of single-walled carbon nanotubes by changing the pressure in floating catalyst CVD",
Tatsuki Hiraoka, Shunji Bandow, Hisanori Shinohara and Sumio Iijima,
Carbon, **44**, 1853-1859 (2006).
- 370) "Gate effect of vacancy-type defect of fullerene cages on metal-atom migrations in metallofullerenes",
Takashi Yumura, Yuta Sato, Kazutomo Suenaga, Koki Urita and Sumio Iijima,
Nano Lett., **6**, 1389-1395 (2006).
- 371) "Effects of gas adsorption on the electrical conductivity of single-wall carbon nanohorns",
Koki Urita, Shinya Seki, Shigenori Utsumi, Daisuke Noguchi, Hirofumi Kanoh, Hideki Tanaka, Yoshiyuki Hattori, Yuichi Ochiai, Nobuyuki Aoki, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
Nano Lett., **6**, 1325-1328 (2006).
- 372) "Direct imaging of intracage structure in titanium-carbide endohedral metallofullerene",
Yuta Sato, Takashi Yumura, Kazu Suenaga, Hiroe Moribe, Daisuke Nishide, Masashi Ishida, Hisanori Shinohara and Sumio Iijima,
Phys. Rev. B, **73**, 193401 (1)-(4) (2006).

- 373) “Chirality correlation in double-wall carbon nanotubes as studied by electron diffraction”,
Kaori Hirahara, Mathieu Kociak, Shunji Bandow, Takanori Nakahira, Kouji Itoh, Yahachi Saito and Sumio Iijima,
Phys. Rev. B, **73**, 195420 (1)-(11) (2006).
- 374) “Solubilization of single-wall carbon nanohorns using a PEG-doxorubicin conjugate”,
Tatsuya Murakami, Jing Fan, Masako Yudasaka, Sumio Iijima and Kiyotaka Shiba,
Mol. Pharm., **3**, 407-414 (2006).
- 375) “Correlation between atomic rearrangement in defective fullerenes and migration behavior of encaged metal ions”,
Yuta Sato, Takashi Yumura, Kazu Suenaga, Koki Urita, Hiromichi Kataura, Takeshi Kodama, Hisanori Shinohara and Sumio Iijima,
Phys. Rev. B, **73**, 233409 (1)-(4) (2006).
- 376) “Cone-end functionalization of carbon nanohorns”,
Georgia Pagona, Nikos Tagmatarchis, Jing Fan, Masako Yudasaka and Sumio Iijima,
Chem. Mater., **18**, 3918-3920 (2006).
- 377) “Excavation rate of silicon surface nanoholes”,
Yutaka Ohno, Seiji Takeda, Toshinari Ichihashi and Sumio Iijima,
J. Appl. Phys., **99**, 126107 (1)-(3) (2006).
- 378) “Phase selective preparations and surface modifications of spherical hollow nanomagnets”,
Mototaka Ohnishi, Yasuharu Kozuka, Quan-Lin Ye, Hirofumi Yoshikawa, Kunio Awaga, Ryosuke Matsuno, Motoyasu Kobayashi, Atsushi Takahara, Toshihiko Yokoyama, Shunji Bandow and Sumio Iijima,
J. Mater. Chem., **16**, 3215-3220 (2006).
- 379) “Quantum-size effects in capped and uncapped carbon nanotubes”,
Takashi Yumura, Daijiro Nozaki, Kaori Hirahara, Shunji Bandow, Sumio Iijima and Kazunari Yoshizawa,
Ann. Rep. Prog. Chem., Sect. C: Physical Chemistry, **102**, 71-91 (2006).
- 380) “Optimum hole-opening condition for cisplatin incorporation in single-wall carbon nanohorns and release”,
Kumiko Ajima, Alan Maigné, Masako Yudasaka and Sumio Iijima,
J. Phys. Chem. B, **110**, 19097-19099 (2006).
- 381) “Unbalanced strain-directed functionalization of carbon nanohorns: A theoretical investigation based on complementary methods”,
Ioannis D Petsalakis, Georgia Pagona, Giannoula Theodorakopoulos, Nikos Tagmatarchis, Masako Yudasaka and Sumio Iijima,
Chem. Phys. Lett., **429**, 194-198 (2006).
- 382) “Preparation, purification, characterization, and cytotoxicity assessment of water-soluble, transition-metal-free, carbon nanotube aggregates”,
Hiroyuki Isobe, Takatsugu Tanaka, Rui Maeda, Eisei Noiri, Niclas Solin, Masako Yudasaka, Sumio Iijima and Eiichi Nakamura,
Angew. Chem. Int. Ed. **45**, 6676-6680 (2006).
- 383) “Synthesis of single- and double-walled carbon nanotube forests on conducting metal foils”,
Tatsuki Hiraoka, Takeo Yamada, Kenji Hata, Don N. Futaba, Hiroyuki Kurachi, Sashirou Uemura, Motoo Yumura and Sumio Iijima,
J. Am. Chem. Soc., **128**, 13338-13339 (2006).
- 384) “Selectivity of water-soluble proteins in single-walled carbon nanotube dispersions”,
Koji Matsuura, Takeshi Saito, Toshiya Okazaki, Satoshi Ohshima, Motoo Yumura and Sumio Iijima,
Chem. Phys. Lett., **429**, 497-502 (2006).
- 385) “Electronic interplay on illuminated aqueous carbon nanohorn-porphyrin ensembles”,
Georgia Pagona, Atula S.D. Sandanayaka, Yasuyuki Araki, Jing Fan, Nikos Tagmatarchis, Masako Yudasaka, Sumio Iijima and Osamu Ito,
J. Phys. Chem. B, **110**, 20729-20732 (2006).
- 386) “Enhancement of inner tube formation from peapods in de-pressurized inert gas environment”,
Y. Fujita, N. Niwa, S. Bandow, S. Iijima,
Appl. Phys., **A85**, 307-310 (2006).

- 387) “Photoluminescence quenching in peapod-derived double-walled carbon nanotubes”,
Toshiya Okazaki, Shunji Bandow, Goshu Tamura, Yoko Fujita, Konstantin Iakoubovskii, Said Kazaoui,
Nobutsugu Minami, Takeshi Saito, Kazu Suenaga, Sumio Iijima,
Phys. Rev. B, **74**, 153404 (1)-(4) (2006).
- 388) “Shape-engineerable and highly densely packed single-walled carbon nanotubes and their application as
super-capacitor electrodes”,
Don N. Futaba, Kenji Hata, Takeo Yamada, Tatsuki Hiraoka, Yuhei Hayamizu, Yozo Kakudate, Osamu
Tanaike, Hiroaki Hatori, Motoo Yumura, Sumio Iijima,
Nat. Mater., **5**, 987-994 (2006).
- 389) “Size-selective growth of double-walled carbon nanotube forests from engineered iron catalysts”,
Takeo Yamada, Tatsunori Namai, Kenji Hata, Don N. Futaba, Kohei Mizuno, Jing Fan, Masako Yudasaka,
Motoo Yumura, Sumio Iijima,
Nat. Nanotech., **1**, 131-136 (2006).
- [2007]
- 390) “Disappearance of inner tubes and generation of double-wall carbon nanotubes from highly dense multiwall
carbon nanotubes by heat treatment”,
Akira Koshio, Masako Yudasaka, Sumio Iijima,
J. Phys. Chem. C, **111**, 10-12 (2007).
- 391) “Nanowindow-regulated specific capacitance of supercapacitor electrodes of single-wall carbon nanohorns”,
Cheol-Min Yang, Yong-Jung Kim, Morinobu Endo, Hirofumi Kanoh, Masako Yudasaka, Sumio Iijima,
Katsumi Kaneko,
J. Am. Chem. Soc., **129**, 20-21 (2007).
- 392) “Evidence of thermal closing of atomic-vacancy holes in single-wall carbon nanohorns”,
Jin Miyawaki, Ryota Yuge, Takazumi Kawai, Masako Yudasaka and Sumio Iijima,
J. Phys. Chem. C, **111**, 1553-1555 (2007).
- 393) “Local modifications of single-wall carbon nanotubes induced by bond formation with encapsulated
fullerenes”,
Takashi Yumura, Miklos Kertesz and Sumio Iijima,
J. Phys. Chem. B, **111**, 1099-1109 (2007).
- 394) “Effect of hydrogen on polymerizing the fullerene molecules in the single-wall carbon nanotubes”,
Yoko Fujita, Shunji Bandow and Sumio Iijima,
Chem. Lett., **36**, 94-95 (2007).
- 395) “Fabrication of short-range ordered nanoholes on silicon surfaces by electron irradiation”,
Yutaka Ohno, Seiji Takeda, Toshinari Ichihashi and Sumio Iijima,
Jpn. J. Appl. Phys., Part 1, **46**, 434-439 (2007).
- 396) “Efficiency of C₆₀ incorporation in and release from single-wall carbon nanotubes depending on their
diameters”,
J. Fan, M. Yudasaka, R. Yuge, D. N. Futaba, K. Hata and S. Iijima,
Carbon, **45**, 722-726 (2007).
- 397) “Correlation between diamagnetic susceptibility and electron spin resonance feature for various multiwalled
carbon nanotubes”,
S. Bandow, S. Numao, M. Jinno, K. Hirahara and S. Iijima,
Appl. Phys., **A87**, 13-16 (2007).
- 398) “Control of the innermost tube diameters in multiwalled carbon nanotubes by the vaporization of boron-
containing carbon rod in RF plasma”,
S. Numao, S. Bandow, S. Iijima,
J. Phys. Chem. C, **111**, 4543-4548 (2007).
- 399) “Direct evidence on C-C single bonding in single-wall carbon nanohorn aggregates”,
Shigenori Utsumi, Hiroaki Honda, Yoshiyuki Hattori, Hirofumi Kanoh, Kunimitsu Takahashi, Hideki Sakai,
Masahiko Abe, Masako Yudasaka, Sumio Iijima, Katsumi Kaneko,
J. Phys. Chem. C, **111**, 5572-5575 (2007).
- 400) “Aqueous carbon nanohorn-pyrene-porphyrin nanoensembles: Controlling charge-transfer interactions”,
Georgia Pagona, Jing Fan, Alan Maigne, Masako Yudasaka, Sumio Iijima, Nikos Tagmatarchis,
Diamond Relat. Mater., **16**, 1150-1153 (2007).

- 401) “Plugging and unplugging holes of single-wall carbon nanohorns”,
Ryota Yuge, Masako Yudasaka, Jin Miyawaki, Yoshimi Kubo, Hiroyuki Isobe, Hideki Yorimitsu, Eiichi Nakamura, Sumio Iijima,
J. Phys. Chem. C, **111**, 7348-7351 (2007).
- 402) “Production of small single-wall carbon nanohorns by CO₂ laser ablation of graphite in Ne-gas atmosphere”,
Takeshi Azami, Daisuke Kasuya, Tsutomu Yoshitake, Yoshimi Kubo, Masako Yudasaka, Toshinari Ichihashi, Sumio Iijima,
Carbon, **45**, 1364-1367 (2007).
- 403) “Imaging the structure of an individual C₆₀ fullerene molecule and its deformation process using HRTEM with atomic sensitivity”,
Zheng Liu, Kazu Suenaga, Sumio Iijima
J. Am. Chem. Soc., **129**, 6666-6667 (2007).
- 404) “Polymorphic structures of iodine and their phase transition in confined nanospace”,
Lunhui Guan, Kazu Suenaga, Zujin Shi, Zhennan Gu, Sumio Iijima
Nano Lett., **7**, 1532-1535 (2007).
- 405) “Photoinduced electron-transfer processes of carbon nanohorns with covalently linked pyrene chromophores: charge-separation and electron-migration systems”,
Atula S.D. Sandanayaka, Georgia Pagona, Jing Fan, Nikos Tagmatarchis, Masako Yudasaka, Sumio Iijima, Yasuyuki Araki and Osamu Ito,
J. Mater. Chem., **17**, 2540-2546 (2007).
- 406) “Magnetism of organic radical molecules confined in nanospace of single-wall carbon nanohorn”,
Taku Matsumura, Hideki Tanaka, Katsumi Kaneko, Masako Yudasaka, Sumio Iijima, Hirofumi Kanoh,
J. Phys. Chem., **111**, 10213-10216 (2007).
- 407) “Organic-vapor-induced repeatable entrance and exit of C₆₀ into/from single-wall carbon nanohorns at room temperature”,
Jin Miyawaki, Masako Yudasaka, Ryota Yuge and Sumio Iijima,
J. Phys. Chem. C, **111**, 9719-9722 (2007).
- 408) “Coalescence of C₆₀ molecules assisted by doped iodine inside carbon nanotubes”,
Lunhui Guan, Kazu Suenaga, Toshiya Okazaki, Zujin Shi, Zhennan Gu and Sumio Iijima,
J. Am. Chem. Soc., **129**, 8954-8955 (2007).
- 409) “Effects of the unique shape of submicron magnetite hollow spheres on magnetic properties and domain states”,
Quan-Lin Ye, Yasuharu Kozuka, Hirofumi Yoshikawa, Kunio Awaga, Shunji Bandow and Sumio Iijima,
Phys. Rev. B, **75**, 224404 (4)-(5) (2007).
- 410) “Imaging active topological defects in carbon nanotubes”,
Kazu Suenaga, Hideaki Wakabayashi, Masanori Koshino, Yuta Sato, Koki Urita and Sumio Iijima,
Nat. Nanotech., **2**, 358-360 (2007).
- 411) “Imaging the dynamic behaviour of individual retinal chromophores confined inside carbon nanotubes”,
Zheng Liu, Kazuhiro Yanagi, Kazu Suenaga, Hiromichi Kataura and Sumio Iijima,
Nat. Nanotech., **2**, 422-425 (2007).
- 412) “Variable-range hopping conduction in the assembly of boron-doped multiwalled carbon nanotubes”,
Shunji Bandow, Shigenori Numao and Sumio Iijima,
J. Phys. Chem. C, **111**, 11763-11766 (2007).
- 413) “Covalent functionalization of carbon nanohorns with porphyrins: nanohybrid formation and photoinduced electron and energy transfer”,
Georgia Pagona, Atula S.D. Sandanayaka, Yasuyuki Araki, Jing Fan, Nikos Tagmatarchis, Georgios Charalambidis, Athanassios G. Coutsolelos, Bernard Boitrel, Masako Yudasaka, Sumio Iijima and Osamu Ito,
Adv. Funct. Mater., **17**, 1705-1711 (2007).
- 414) “Conductive and mesoporous single-wall carbon nanohorn/organic aerogel composites”,
Yousheng Tao, Daisuke Noguchi, Cheol-Min Yang, Hirofumi Kanoh, Hideki Tanaka, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
Langmuir, **23**, 9155-9157 (2007).

- 415) “Dispersion of cisplatin-loaded carbon nanohorns with a conjugate comprised of an artificial peptide aptamer and polyethylene glycol”,
Sachiko Matsumura, Kumiko Ajima, Masako Yudasaka, Sumio Iijima and Kiyotaka Shiba,
Mol. Pharm., **4**, 723-729 (2007).
- 416) “Confinement effects on site-preferences for cycloadditions into carbon nanotubes”,
Takashi Yumura, Miklos Kertesz and Sumio Iijima,
Chem. Phys. Lett., **444**, 155-160 (2007).
- 417) “Investigation of hydrogen storage capacity of various carbon materials”,
W.-C. Xu, K. Takahashi, Y. Matsuo, Y. Hattori, M. Kumagai, S. Ishiyama, K. Kaneko and Sumio Iijima,
Int. J. Hydrogen Energy, **32**, 2504-2512 (2007).
- 418) “Photoinduced electron transfer on aqueous carbon nanohorn-pyrene-tetrathiafulvalene architectures”,
Georgia Pagona, Atula S.D. Sandanayaka, Alan Maigne, Jing Fan, George C. Papavassiliou, Ioannis D. Petsalakis, Barry R. Steele, Masako Yudasaka, Sumio Iijima, Nikos Tagmatarchis and Osamu Ito,
Chem. Eur. J., **13**, 7600-7607 (2007).
- 419) “Water-assisted highly efficient synthesis of single-walled carbon nanotubes forests from colloidal nanoparticle catalysts”,
Hidekazu Nishino, Satoshi Yasuda, Tatsunori Namai, Don N. Futaba, Takeo Yamada, Motoo Yumura, Sumio Iijima and Kenji Hata,
J. Phys. Chem. C, **111**, 17961-17965 (2007).
- 420) “Nanoscale curvature effect on ordering of N₂ molecules adsorbed on single wall carbon nanotube”,
Tomonori Ohba, Taku Matsumura, Kenji Hata, M. Yumura, S. Iijima, Hirofumi Kanoh and Katsumi Kaneko,
J. Phys. Chem. C, **111**, 15660-15663 (2007).
- 421) “Soluble functionalized carbon nanohorns”,
Georgia Pagona, Georgios Rotas, Ioannis D. Petsalakis, Giannoula Theodorakopoulos, Jing Fan, Alan Maigne, Masako Yudasaka, Sumio Iijima and Nikos Tagmatarchis,
J. Nanosci. Nanotechnol., **7**, 3468-3472 (2007).
- 422) “Structures of D_{5d}-C₈₀ and I_h-Er₃N@C₈₀ fullerenes and their rotation inside carbon nanotubes demonstrated by aberration-corrected electron microscopy”,
Yuta Sato, Kazu Suenaga, Shingo Okubo, Toshiya Okazaki and Sumio Iijima,
Nano. Lett., **7**, 3704-3708 (2007).
- 423) “Light-assisted oxidation of single-wall carbon nanohorns for abundant creation of oxygenated groups that enable chemical modifications with proteins to enhance biocompatibility”,
Minfang Zhang, Masako Yudasaka, Kumiko Ajima, Jin Miyawaki and Sumio Iijima,
ACS Nano, **1**, 265-272 (2007).
- 424) “Fullerene derivatives encapsulated in carbon nanotubes”,
W. Plank, H. Kuzmany, F. Simon, T. Saito, S. Ohshima, M. Yumura, S. Iijima, G. Rotas, G. Pagona and N. Tagmatarchis,
Phys. Status Solidi B, **244**, 4074-4077 (2007).
- [2008]**
- 425) “Preparation, photocatalytic activities, and dye-sensitized solar cell performance of submicron-scale TiO₂ hollow spheres”,
Yoshihiko Kondo, Hirofumi Yoshikawa, Kunio Awaga, Masaki Maruyama, Tatsuo Mori, Kayano Sunada, Shunji Bando and Sumio Iijima,
Langmuir, **24**, 547-550 (2008).
- 426) “Plumbing carbon nanotubes”,
Chuanhong Jin, Kazu Suenaga and Sumio Iijima,
Nat. Nanotech., **3**, 17-21 (2008).
- 427) “Nanorods of endohedral metallofullerene derivative”,
Takahiro Tsuchiya, Ryotaro Kumashiro, Katsumi Tanigaki, Yoichiro Matsunaga, Midori O. Ishitsuka, Takatsugu Wakahara, Yutaka Maeda, Yuta Takano, Motoki Aoyagi, Takeshi Akasaka, Michael T.H. Liu, Tatsuhisa Kato, Kazutomo Suenaga, Jong S. Jeong, Sumio Iijima, Fumiko Kimura, Tsunehisa Kimura and Shigeru Nagase,
J. Am. Chem. Soc., **130**, 450-451 (2008).
- 428) “Large-scale production of single-wall carbon nanohorns with high purity”,

- Takeshi Azami, Daisuke Kasuya, Ryota Yuge, Masako Yudasaka, Sumio Iijima, Tsutomu Yoshitake and Yoshimi Kubo,
J. Phys. Chem. C, **112**, 1330-1334 (2008).
- 429) “Smallest carbon nanotube assigned with atomic resolution accuracy”,
Lunhui Guan, Kazu Suenaga and Sumio Iijima,
Nano. Lett., **8**, 459-462 (2008).
- 430) “Toxicity of single-walled carbon nanohorns”,
Jin Miyawaki, Masako Yudasaka, Takeshi Azami, Yoshimi Kubo and Sumio Iijima,
ACS Nano., **2**, 213-226 (2008).
- 431) “Metallic Wires of Lanthanum Atoms Inside Carbon Nanotubes”,
L. Guan, K. Suenaga, S. Okubo, T. Okazaki and S. Iijima,
J. Am. Chem. Soc., **130**, 2162-2163 (2008).
- 432) “Catalytic activities of Pd-tailored single wall carbon nanohorns”,
Tsutomu Itoh, Hiroshi Danjo, Wataru Sasaki, Koki Urita, Elena Bekyarova, Miki Arai, Tsuneo Iwamoto,
Masako Yudasaka, Sumio Iijima, Hirofumi Kanoh and Katsumi Kaneko,
Carbon, **46**, 172-175 (2008).
- 433) “Vacancy migrations in carbon nanotubes”,
Chuanhong Jin, Kazu Suenaga and Sumio Iijima,
Nano Lett., **8**, 1127-1130 (2008).
- 434) “Optical Band Gap Modification of Single-walled Carbon Nanotubes by Encapsulated Fullerenes”,
Toshiya Okazaki, Shingo Okubo, Takeshi Nakanishi, Soon-Kil Joung, Takeshi Saito, Minoru Otani, Susumu
Okada, Shunji Bandow and Sumio Iijima,
J. Am. Chem. Soc., **130**, 4122-4128 (2008).
- 435) “(Terpyridine)copper(II)–Carbon Nanohorns: Metallo-nanocomplexes for Photoinduced Charge
Separation”,
Georgios Rotas, Atula S. D. Sandanayaka, Nikos Tagmatarchis, Toshinari Ichihashi, Masako Yudasaka,
Sumio Iijima and Osamu Ito,
J. Am. Chem. Soc., **130**, 4725-4731 (2008).
- 436) “Adsorption Phenomena of Tetracyano-*p*-quinodimethane on Single-Wall Carbon Nanohorns”,
Ryota Yuge, Masako Yudasaka, Alan Maigne, Mutsumi Tomonari, Jin Miyawaki, Yoshimi Kubo, Hideto
Imai, Toshinari Ichihashi and Sumio Iijima,
J. Phys. Chem. C., **112**, 5416-5422 (2008).
- 437) “Probing the Structure of Carbon Nanohorn Aggregates by Adsorbing Gases of Different Sizes”,
Vaiva Krungleviciute, Mercedes M. Calbi, Jeff A. Wagner, Aldo D. Migone, Masako Yudasaka and Sumio
Iijima,
J. Phys. Chem. C., **112**, 5742-5746 (2008).
- 438) “Effects of boron-doping and heat-treatment on the electrical resistivity of carbon nanohorn-aggregates”,
Manabu Harada, Takayuki Inagaki, Shunji Bandow and Sumio Iijima,
Carbon, **46**, 766-772 (2008).
- 439) “A mesoporous composite template composed of self-assembled silica nanotube and multi-walled carbon
nanotube”,
Sun-Ae Lee, Seung-Hee Hong, Dong-Ouk Kim, Tai-Hoon Han, Sumio Iijima and Jae-Do Nam,
Microporous Mesoporous Mater., **111**, 292-299 (2008).
- 440) “Storage function of carbon nanospaces for molecules and ions”,
D. Noguchi, Y. Hattori, C.-M. Yang, Y. Tao, T. Konishi, T. Fujikawa, T. Ohkubo, Y. Nobuhara, T. Ohba,
H. Tanaka, H. Kanoh, M. Yudasaka, S. Iijima, H. Sakai, M. Abe, Y.-J. Kim, M. Endo and K. Kaneko,
ECS Trans., **11**, 63-75 (2008).
- 441) “Fine nanostructure analysis of single-wall carbon nanohorns by surface-enhanced raman scattering”,
Toshihiko Fujimori, Koki Urita, Yuusuke Aoki, Hirofumi Kanoh, Tomonori Ohba, Masako Yudasaka,
Sumio Iijima and Katsumi Kaneko,
J. Phys. Chem. C, **112**, 7552-7556 (2008).

- 442) “Single-wall carbon nanohorns and nanocones”,
Masako Yudasaka, Sumio Iijima, Vincent H. Crespi,
Top. Appl. Phys., **111**, 605-629 (2008).
- 443) “Nanoporosities and catalytic activities of Pd-tailored single wall carbon nanohorns”,
Tsutomu Itoh, Koki Urita, Elena Bekyarova, Miki Arai, Masako Yudasaka, Sumio Iijima, Tomonori Ohba,
Katsumi Kaneko and Hirofumi Kanoh,
J. Colloid Interface Sci., **322**, 209-214 (2008).
- 444) “In-situ observation of structural change in MWCNTs under high-pressure H₂ gas atmosphere”,
Atsuko Nakayama, Shigenori Numao, Satoshi Nakano, Shunji Bandow and Sumio Iijima,
Diamond Relat. Mater., **17**, 548-551 (2008).
- 445) “Origin of giant graphite balls produced together with carbon nanohorns prepared by pulsed arc-discharge
and a method for their removal”,
Takashi Yamaguchi, Shunji Bandow and Sumio Iijima,
Carbon, **46**, 1110 (2008).
- 446) “Close-open-close evolution of holes at the tips of conical graphenes of single-wall carbon nanohorns”,
Jing Fan, Ryota Yuge, Jin Miyawaki, Takazumi Kawai, Sumio Iijima and Masako Yudasaka,
J. Phys. Chem. C, **112**, 8600-8603 (2008).
- 447) “Mechanochemically induced sp³-bond-associated reconstruction of single-wall carbon nanohorns”,
Koki Urita, Shinya Seki, Hideyuki Tsuchiya, Hiroaki Honda, Shigenori Utsumi, Chiharu Hayakawa,
Hirofumi Kanoh, Tomonori Ohba, Hideki Tanaka, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
J. Phys. Chem. C, **112**, 8759-8762 (2008).
- 448) “How does a carbon nanotube grow? An in situ investigation on the cap evolution”,
Chuanhong Jin, Kazu Suenaga and Sumio Iijima,
ACS Nano, **2**, 1275-1279 (2008).
- 449) “Semiconductor-enriched single wall carbon nanotube networks applied to field effect transistors”,
N. Izard, S. Kazaoui, K. Hata, T. Okazaki, T. Saito S. Iijima and N. Minami,
Appl. Phys. Lett., **92**, 243112/1-243112/3 (2008).
- 450) “Long-range electron transfer through a single-walled carbon nanotube sheet”,
Takeshi Saito, Koji Matsuura, Satoshi Ohshima, Motoo Yumura and Sumio Iijima,
Adv. Mater., **20**, 2475-2479 (2008).
- 451) “Single wall carbon nanohorn as a drug carrier for controlled release”,
Jianxun Xu, Masako Yudasaka, Sachio Kouraba, Mitsuru Sekido, Yuhei Yamamoto and Sumio Iijima,
Chem. Phys. Lett., **461**, 189-192 (2008).
- 452) “Water-dispersed single-wall carbon nanohorns as drug carriers for local cancer chemotherapy”,
Tatsuya Murakami, Hirohide Sawada, Goshu Tamura, Masako Yudasaka, Sumio Iijima and Kunihiro
Tsuchida,
Nanomedicine, **3**, 453-463 (2008).
- 453) “Chiral-angle distribution for separated single-walled carbon nanotubes”,
Yuta Sato, Kazuhiro Yanagi, Yasumitsu Miyata, Kazu Suenaga, Hiromichi Kataura and Sumio Iijima,
Nano Lett., **8**, 3151-3154 (2008).
- 454) “Site-dependent migration behavior of individual cesium ions inside and outside C₆₀ fullerene nanopeapods”,
Yuta Sato, Kazu Suenaga, Shunji Bandow and Sumio Iijima,
Small, **4**, 1080-1083 (2008).
- 455) “Site identification of carboxyl groups on graphene edges with Pt derivatives”,
Ryota Yuge, Minfang Zhang, Mutsumi Tomonari, Tsutomu Yoshitake, Sumio Iijima and Masako Yudasaka,
ACS Nano, **2**, 1865-1870 (2008).
- 456) “Characterization and photoelectrochemical properties of nanostructured thin composed of carbon
nanohorns covalently functionalized with porphyrins”,
Georgia Pagona, Atula S. D. Sandanayaka, Taku Hasobe, Georgios Charalambidis, Athanassios G.
Coutsouelos, Masako Yudasaka, Sumio Iijima and Nikos Tagmatarchis,
J. Phys. Chem. C, **112**, 15735-15741 (2008).
- 457) “Fabrication of ZnPc/protein nanohorns for double photodynamic and hyperthermic cancer phototherapy”,

- Minfang Zhang, Tatsuya Murakami, Kumiko Ajima, Kunihiro Tsuchida, Atula S. D. Sandanayaka, Osamu Ito, Sumio Iijima and Masako Yudasaka,
Proc. Natl. Acad. Sci. U. S. A., Early Ed., **105**, 14773-14778 (2008).
- 458) “Effect of hole size on the incorporation of C₆₀ molecules inside single-wall carbon nanohorns and their release”,
Jing Fan, Ryota Yuge, Alan Maigne, Jin Miyawaki, Sumio Iijima and Masako Yudasaka,
Carbon, **46**, 1792-1794 (2008).
- 459) “Enhancement of in vivo anticancer effects of cisplatin by incorporation inside single-wall carbon nanohorns”,
Kumiko Ajima, Tatsuya Murakami, Yoshikazu Mizoguchi, Kunihiro Tsuchida, Toshinari Ichihashi, Sumio Iijima and Masako Yudasaka,
ACS Nano, **2**, 2057-2064 (2008).
- 460) “Diagnostics and growth control of single-wall carbon nanotube forests using a telecentric system for in situ height monitoring”,
Satoshi Yasuda, Don N. Futaba, Motoo Yumura, Sumio Iijima and Kenji Hata,
Appl. Phys. Lett., **93**, 143115 (1)-(3) (2008).
- 461) “Metal atom catalyzed enlargement of fullerenes”,
Chuanhong Jin, Haiping Lan, Kazu Suenaga, Lianmao Peng, Sumio Iijima,
Phys. Rev. Lett., **101**, 176102 (1)-(4) (2008).
- 462) “Revealing the secret of water-assisted carbon nanotube synthesis by microscopic observation of the interaction of water on the catalysts”,
Takeo Yamada, Alan Maigne, Masako Yudasaka, Kouhei Mizuno, Don N. Futaba, Motoo Yumura, Sumio Iijima and Kenji Hata,
Nano Lett., **8**, 4288-4292 (2008).
- 463) “Variable range hopping conduction and percolation networks in the pellets formed pristine and boron-doped carbon nanohorn particles”,
Y. Fukunaga, M. Harada, S. Bandow, and S. Iijima,
Appl. Phys. A, **94**, 5-9 (2008).
- 464) “Selective diameter control of single-walled carbon nanotubes in the gas-phase synthesis”,
Takeshi Saito, Satoshi Ohshima, Toshiya Okazaki, Shigekazu Ohmori, Motoo Yumura and Sumio Iijima,
J. Nanosci. Nanotechnol., **8**, 6153-6157 (2008).
- 465) “High efficiencies for single oxygen generation of fullerenes and their phototoxicity”,
Yoko Iizumi, Toshiya Okazaki, Minfang Zhang, Masako Yudasaka and Sumio Iijima,
Bull. Chem. Soc. Jpn., **81**, 1584-1588 (2008).
- [2009]
- 466) “Diameter-dependent band gap modification of single-walled carbon nanotubes by encapsulated fullerenes”,
Shingo Okubo, Toshiya Okazaki, Naoki Kishi, Soon-Kil Joung, Takeshi Nakanishi, Susumu Okada and S. Iijima,
J. Phys. Chem. C, **113**, 571-575 (2009).
- 467) “Open and closed edges of graphene layers”,
Zheng Liu, Kazu Suenaga, Peter J.F. Harris and Sumio Iijima,
Phys. Rev. Lett., **102**, 015501 (1)-(4) (2009).
- 468) “Efficient separation of giant graphite balls from as-grown single-wall carbon nanohorns”,
Goshu Tamura, Masako Yudasaka and Sumio Iijima,
Jpn. J. Appl. Phys., **48**, 015003 (1)-(5) (2009).
- 469) “Prevention of carbon nanohorn agglomeration using a conjugate composed of comb-shaped polyethylene glycol and a peptide aptamer”,
Sachiko Matsumura, Shigeo Sato, Masako Yudasaka, Akihiro Tomida, Takashi Tsuruo, Sumio Iijima and Kiyotaka Shiba,
Mol. Pharm., **6**, 441-447 (2009).
- 470) “Hidden caves in an aggregate of single-wall carbon nanohorns found by using Gd₂O₃ probes”,
Ryota Yuge, Toshinari Ichihashi, Jin Miyawaki, Tsutomu Yoshitake, Sumio Iijima and Masako Yudasaka,
J. Phys. Chem. C, **113**, 2741-2744 (2009).

- 471) “In situ formation and structure tailoring of carbon onions by high-resolution transmission electron microscopy”,
Chuanhong Jin, Kazu Suenaga and Sumio Iijima,
J. Phys. Chem. C, **113**, 5043-5046 (2009).
- 472) “Solubilization of carbon nanohorns by block polyelectrolyte wrapping and templated formation of gold nanoparticles”,
Grigoris Mountrichas, Toshinari Ichihashi, Stergios Pispas, Masako Yudasaka, Sumio Iijima and Nikos Tagmatarchis,
J. Phys. Chem., **113**, 5444-5449 (2009).
- 473) “Probing interaction between ssDNA and carbon nanotubes by raman scattering and electron microscopy”,
Masayuki Shoda, Shunji Bandow, Yusei Maruyama and Sumio Iijima,
J. Phys. Chem., **113**, 6033-6036 (2009).
- 474) “Characterization of single wall carbon nanohorns restructured with mechanical treatment”,
Koki Urita, Shinya Seki, Hideyuki Tsuchiya, Hiroaki Honda, Shigenori Utsumi, Tomonori Ohba, Hirofumi Kanoh, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
Spec. Publ. Roy. Soc. Chem., **318**, 111-117 (2009).
- 475) “Self-assembled double ladder structure formed inside carbon nanotubes by encapsulation of $H_8Si_8O_{12}$ ”,
Liu Zheng, Soon-Kil Joung, Toshiya Okazaki, Kazu Suenaga, Yoshiaki Hagiwara, Tetsu Ohsuna, Kazuyuki Kuroda and Sumio Iijima,
ACS Nano, **3**, 1160-1166 (2009).
- 476) “Fabrication of a freestanding boron nitride single layer and its defect assignments”,
Chuanhong Jin, Fang Lin, Kazu Suenaga and Sumio Iijima,
Phys. Rev. Lett., **102**, 195505 (1)-(4) (2009).
- 477) “Development of an in vitro screening method for safety evaluation of nanomaterials”,
F. Watari, K. Tohji, K. Asaoka, Atsuko Matsuoka, Agneta Oenfelt, Yoshie Matsuda, Ryusuke Nakaoka, Yuji Haishima, Masako Yudasaka, Sumio Iijima and Toshie Tsuchiya,
Biomedical Mater. Eng., **19**, 19-27 (2009).
- 478) “Deriving carbon atomic chains from graphene”,
Chuanhong Jin, Haiping Lan, Lianmao Peng, Kazu Suenaga and Sumio Iijima,
Phys. Rev. Lett., **102**, 205501 (1)-(4) (2009).
- 479) “Biodistribution and ultrastructural localization of single-walled carbon nanohorns determined in vivo with embedded Gd_2O_3 labels”,
Jin Miyawaki, Sachiko Matsumura, Ryota Yuge, Tatsuya Murakami, Shigeo Sato, Akihiro Tomida, Takashi Tsuruo, Toshinari Ichihashi, Takako Fujinami, Hiroshi Irie, Kunihiro Tsuchida, Sumio Iijima, Kiyotaka Shiba and Masako Yudasaka
ACS Nano, **3**, 1399-1406 (2009).
- 480) “An efficient carbon precursor for gas phase growth of SWCNTs”,
Bikau Shukla, Takeshi Saito, Motoo Yumura and Sumio Iijima,
Chem. Comm., **23**, 3422-3424 (2009).
- 481) “Individual single-wall carbon nanohorns separated from aggregates”,
Minfang Zhang, Takashi Yamaguchi, Sumio Iijima and Masako Yudasaka,
J. Phys. Chem., **113**, 11184-11186 (2009).
- 482) “Effect of fullerene encapsulation of radial vibrational breathing-mode frequencies of single-wall carbon nanotubes”,
Soon-kil Joung, Toshiya Okazaki, Naoki Kishi, Susumu Okada, Shunji Bandow and Sumio Iijima,
Phys. Rev. Lett., **103**, 027403 (1)-(4) (2009).
- 483) “Transition edge sensor system for material analysis using transmission electron microscope”,
K. Tanaka, A. Odawara, S. Bandow, A. Nagata, S. Nakayama, K. Chinone, A. Yasaka, Y. Koike and S. Iijima,
Physica C, **469**, 881-885 (2009).
- 484) “Direct evidence for lip-lip interactions in multi-walled carbon nanotubes”,
Chuanhong Jin, Kazu Suenaga and Sumio Iijima,
Nano Res., **1**, 434-439 (2008).

- 485) “Solvent-free microwave-assisted Bingel reaction in carbon nanohorns”,
Solon P. Economopoulos, Georgia Pagona, Masako Yudasaka, Sumio Iijima and Nikos Tagmatarchis,
J. Mater. Chem., **19**, 7326-7331 (2009).
- 486) “Decoration of carbon nanohorns with palladium and platinum nanoparticles”,
Nikolaos Karousis, Toshinari Ichihashi, Masako Yudasaka, Sumio Iijima and Nikos Tagmatarchis,
J. Nanosci. Nanotech., **9**, 6047-6054 (2009).
- 487) “A novel method for characterizing the diameter of single-wall carbon nanotubes by optical absorption spectra”,
Takeshi Saito, Shigekazu Ohmori, Bikau Shukla, Motoo Yumura and Sumio Iijima,
Appl. Phys. Express, **2**, 095006 (1)-(3) (2009).
- 488) “Photoinduced electron transfer of nanohybrids of carbon nanohorns with amino groups and tetrabenzoic acid porphyrin in aqueous media”,
Atula S. D. Sandanayaka, Osamu Ito, Takatsugu Tanaka, Hiroyuki Isobe, Eiichi Nakamura, Masako Yudasaka and Sumio Iijima,
New J. Chem., **33**, 2261-2266 (2009).
- 489) “Efficient production of H₂ and carbon nanotube from CH₄ over single wall carbon nanohorn”,
Yusuke Aoki, Koki Urita, Daisuke Noguchi, Tsutomu Itoh, Hirofumi Kanoh, Tomonori Ohba, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
Chem. Phys. Lett., **482**, 269-273 (2009).
- 490) “Photoinduced electron transfer in Zinc Phtalocyanine loaded on single-walled carbon nanohorns in aqueous solution”,
Atula S. D. Sandanayaka, Osamu Ito, Minfang Zhang, Kumiko Ajima, Sumio Iijima, Masako Yudasaka, Tatsuya Murakami and Kunihiro Tsuchida,
Adv. Mater., **21**, 4366-4371 (2009).
- 491) “Raman scattering from ferrocene encapsulated in narrow diameter carbon nanotubes”,
W. Plank, H. Kuzmany, R. Pfeiffer, T. Saito and S. Iijima,
Phys. Status Solidi, **246**, 2724-2727 (2009).
- [2010]**
- 492) “Analysis of the reactivity and selectivity of fullerene dimerization reactions at the atomic level”,
Masanori Koshino, Yoshiko Niimi, Eiichi Nakamura, Hiromichi Kataura, Toshiya Okazaki, Kazutomo Suenaga, Sumio Iijima,
Nat. Chem., **2**, 117-124 (2010).
- 493) “Compact and light supercapacitor electrodes from a surface-only solid by opened carbon nanotubes with 2200 m² g⁻¹ surface area”,
Tatsuki Hiraoka, Ali Izadi-Najafabadi, Takeo Yamada, Don N. Futaba, Satoshi Yasuda, Osamu Tanaike, Hiroaki Hatori, Motoo Yumura, Sumio Iijima, Kenji Hata,
Adv. Funct. Mater., **20**, 422-428 (2010).
- 494) “Host-guest interactions in azafullerene (C₅₉N)-single-wall carbon nanotube (SWCNT) peapod hybrid structures”,
Yoko Iizumi, Toshiya Okazaki, Zheng Liu, Kazu Suenaga, Takeshi Nakanishi, Sumio Iijima, Georgios Rotas, Nikos Tagmatarchis,
Chem. Commun., **46**, 1293-1295 (2010).
- 495) “Preparation and mechanical properties of rubber composites reinforced with carbon nanohorns”,
Tetsuya Isshiki, Mikiko Hshimoto, Masato Morii, Yuki Ota, Kazuo Kaneda, Hidetaka Takahashi, Masako Yudasaka, Sumio Iijima, Fujio Okino,
J. Nanosci. Nanotechnol., **10**, 3810-3814 (2010).
- 496) “Imidazolium modified carbon nanohorns: switchable solubility and stabilization of metal nanoparticles”,
Nikolaos Karousis, Toshinari Ichihashi, Shimou Chen, Hisanori Shinohara, Masako Yudasaka, Sumio Iijima, Nikos Tagmatarchis,
J. Mater. Chem., **20**, 2959-2964 (2010).
- 497) “Appropriate PEG compounds for dispersion of single wall carbon nanohorns in salted aqueous solution”,
Jianxun Xu, Sumio Iijima, Masako Yudasaka,
Appl. Phys. A, **99**, 15-21 (2010).

- 498) “Fundamental importance of background analysis in precise characterization of single-walled carbon nanotubes by optical absorption spectroscopy”, Shigekazu Ohmori, Takeshi Saito, Masayoshi Tange, Bikau Shukla, Toshiya Okazaki, Motoo Yumura, Sumio Iijima, *J. Phys. Chem. C*, **114**, 10077-10081 (2010).
- 499) “Polymer covalent functionalization of carbon nanohorns using bulk free radical polymerization”, Grigoris Mountrichas, Stergios Pispas, Toshinari Ichihashi, Masako Yudasaka, Sumio Iijima, Nikos Tagmatarchis, *Chem. –Eur. J.*, **16**, 5927-5933 (2010).
- 500) “Fractionation of single wall carbon nanotubes by length using cross flow filtration method”, Shigekazu Ohmori, Takeshi Saito, Bikau Shukla, Motoo Yumura, Sumio Iijima, *ACS Nano*, **4**, 3606-3610 (2010).
- 501) “Prevention of Sn and Pb crystallization in a confined nanospace”, Keita Kobayashi, Kazu Suenaga, Takeshi Saito, Sumio Iijima, *Small*, **6**, 1279-1282 (2010).
- 502) “Interaction between single-wall carbon nanotubes and encapsulated C₆₀ probed by resonance Raman spectroscopy”, Soon-Kil Joung, Toshiya Okazaki, Susumu Okada, Sumio Iijima, *Phys. Chem. Chem. Phys.*, **12**, 8118-8122 (2010).
- 503) “Some electronic properties and morphological features of hybrid material DNA-SWCNT thin films”, Yusei Maruyama, Satoru Motohashi, Masayuki Tanaka, Hironori Ogata, Biao Zhou, Akiko Kobayashi, Masayuki Shoda, Shunji Bandow, Sumio Iijima, *Solid State Commun.*, **150**, 1584-1586 (2010).
- 504) “Adsorption of a Pt-ammine complex on graphene sheets prepared from single-wall carbon nanohorns”, Ryota Yuge, Tsutomu Yoshitake, Takeshi Azami, Yoshimi Kubo, Sumio Iijima, Masako Yudasaka *Tanso*, **243**, 97-103 (2010).
- 505) “Roll-to-roll production of 30-inch graphen films for transparent electrodes”, Sukang Bae, Hyeong Keun Kim, Youngbin Lee, Xianfang Xu, Jae-Sung Park, Yi Zheng, Jayakumar Balakrishnan, Tian Lei, Hye Ri Kim, Young Il Song, Young Jin Kim, Kwang S. Kim, Barbaros Özyilmaz, Jong-Hyun Ahn, Byung Hee Hong, Sumio Iijima, *Nat. Nanotech.*, **5**, 574-578 (2010).
- 506) “Photoreactivity preservation of AgBr nanowires in confined nanospaces”, Keita Kobayashi, Kazu Suenaga, Takeshi Saito, Hisanori Shinohara, Sumio Iijima, *Adv. Mater.*, **22**, 3156-3160 (2010).
- 507) “Double oxidation with oxygen and hydrogen peroxide for hole-forming in single wall carbon nanohorns”, Jianxun Xu, Minfang Zhang, Maki Nakamura, Sumio Iijima, Masako Yudasaka, *Appl. Phys. A*, **100**, 379-383 (2010).
- 508) “Mixed Low-dimensional nanomaterial: 2D Ultranarrow MoS₂ inorganic nanoribbons encapsulated in quasi-1d carbon nanotubes”, Zhiyong Wang, Hong Li, Zheng Liu, Zujin Shi, Jing Lu, Kazu Suenaga, Soon-kil Joung, Toshiya Okazaki, Zhennan Gu, Jing Zhou, Zhengxian Gao, Guangping Li, Stefano Sanvito, Enge Wang, Sumio Iijima, *J. Am. Chem. Soc.*, **132**, 13840-13847 (2010).
- 509) “Global phase diagram of water confined on the nanometer scale”, Haruka Kyakuno, Kazuyuki Matsuda, Hitomi Yahiro, Tomoko Fukuoka, Yasumitsu Miyata, Kazuhiro Yanagi, Yutaka Maniwa, Hiromichi Kataura, Takeshi Saito, Motoo Yumura, Sumio Iijima, *J. Phys. Soc. Jpn.*, **79**, 083802(1)-(4) (2010).
- 510) “Strong magnetism observed in carbon nanoparticles produced by the laser vaporization of a carbon pellet in hydrogen-containing Ar balance gas”, Hirohito Asano, Susumu Muraki, Hiroki Endo, Shunji Bandow, Sumio Iijima, *J. Phys.: Condes. Matter*, **22**, 334209(1)-(6) (2010).
- 511) “Extracting the full potential of single-walled carbon nanotubes as durable supercapacitor electrodes operable at 4 V with high power and energy density”, Ali Izadi-Najafabadi, Satoshi Yasuda, Kazufumi Kobashi, Takeo Yamada, Don N. Futaba, Hiroaki Hatori, Motoo Yumura, Sumio Iijima, Kenji Hata,

Adv. Mater., **22**, E235-E241 (2010).

- 512) “A Carbon nanohorn-porphyrin supramolecular assembly for photoinduced electron-transfer processes”, Maria Vizuete, Maria Jose Gomez-Escalonilla, Jose Luis Fierro, Atula S. Sandanayaka, Taku Hasobe, Masako Yudasaka, Sumio Iijima, Osamu Ito, Fernando Langa, *Chem.—Eur. J.*, **16**, 10752-10763 (2010).
- 513) “Electronic structures of single-walled carbon nanotubes encapsulating ellipsoidal C₇₀”, Shingo Okubo, Toshiya Okazaki, Kaori Hirose-Takai, Kazu Suenaga, Susumu Okada, Shunji Bandow, Sumio Iijima, *J. Am. Chem. Soc.*, **132**, 15252-15258 (2010).
- 514) “Interdependency of gas phase intermediates and chemical vapor deposition growth of single wall carbon nanotubes”, Bikau Skukla, Takeshi Saito, Shigekazu Ohmori, Mitsuo Koshi, Motoo Yumura, Sumio Iijima, *Chem. Mater.*, **22**, 6035-6043 (2010).
- 515) “Quantification of thin graphene sheets contained in spherical aggregates of single-walled carbon nanohorns”, Michiko Irie, Maki Nakamura, Minfang Zhang, Ryota Yuge, Sumio Iijima, Masako Yudasaka, *Chem. Phys. Lett.*, **500**, 96-99 (2010).
- 516) “Highly efficient field emission from carbon nanotube-nanohorn hybrids prepared by chemical vapor deposition”, Ryota Yuge, Jin Miyawaki, Toshinari Ichihashi, Sadanori Kuroshima, Tsutomu Yoshitake, Tetsuya Ohkawa, Yasushi Aoki, Sumio Iijima, Masako Yudasaka, *ACS Nano*, **4**, 7337-7343 (2010).
- 517) “Impact of cell-voltage on energy and power performance of supercapacitors with single-walled carbon nanotube electrodes”, Ali Izadi-Najafabadi, Takeo Yamada, Don N. Futaba, Hiroaki Hatori, Sumio Iijima, Kenji Hata, *Electrochem. Commun.*, **12**, 1678-1681 (2010).
- 518) “Ion diffusion and electrochemical capacitance in aligned and packed single-walled carbon nanotubes”, Ali Izadi-Najafabadi, Don N. Futaba, Sumio Iijima, Kenji Hata, *J. Am. Chem. Soc.*, **132**, 18017-18019 (2010).
- 519) “Host-guest interaction between single-wall carbon nanotubes and encapsulated C₆₀ probed by resonance Raman spectroscopy”, Soon-Kil Joung, Toshiya Okazaki, Susumu Okada, Sumio Iijima, *Phys. Status Solidi B*, **247**, 2700-2702 (2010).
- [2011]
- 520) “Ultra-narrow WS₂ nanoribbons encapsulated in carbon nanotubes”, Zhiyong Wang, Keke Zhao, Hong Li, Zheng Liu, Zujin Shi, Jing Lu, Kazu Suenaga, Soon-kil Joung, Toshiya Okazaki, Zhaoxia Jin, Zhennan Gu, Zhengxiang Gao, Sumio Iijima, *J. Mater. Chem.*, **21**, 171-180 (2010).
- 521) “Electronically modified single wall carbon nanohorns with iodine adsorption”, Fitri Khoerunnisa, Toshihiko Fujimori, Tsutomu Itoh, Hirofumi Kanoh, Tomonori Ohba, Masako Yudasaka, Sumio Iijima, Katsumi Kaneko, *Chem. Phys. Lett.*, **501**, 485-490 (2011).
- 522) “High-power supercapacitor electrodes from single-walled carbon nanohorn/nanotube composite”, Ali Izadi-Najafabadi, Takeo Yamada, Don N. Futaba, Masako Yudasaka, Hideyuki Takagi, Hiroaki Hatori, Sumio Iijima, Kenji Hata, *ACS Nano*, **5**, 811-819 (2011).
- 523) “A pulsed neutron diffraction study of the topological defects presence in carbon nanohorns”, Lukasz Hawelek, Wojciech Wrzalik, Aleksander Brodka, John C. Dore, Alex C. Hannon, Sumio Iijima, Masako Yudasaka, Tomonori Ohba, Katsumi Kaneko, Andrzej Burian, *Chem. Phys. Lett.*, **502**, 87-91 (2011).
- 524) “Microwave-assisted functionalization of carbon nanohorns via [2+1] nitrenes cycloaddition”, Nikolaos Karousis, Toshinari Ichihashi, Masako Yudasaka, Sumio Iijima, Nikos Tagmatarchis, *Chem. Commun.*, **47**, 1604-1606 (2011).

- 525) “Low-temperature synthesis of large-area graphene-based transparent conductive films using surface wave plasma chemical vapor deposition”,
Jaeho Kim, Masatou Ishihara, Yoshinori Koga, Kazuo Tsugawa, Masataka Hasegawa and Sumio Iijima,
Appl. Phys. Lett., **98**, 091502 (1)-(3) (2011).
- 526) “Synthesis of ultra-long super-aligned double-walled carbon nanotube forests”,
Hyeongkeun Kim, Junmo Kang, Youngin Kim, Byung Hee Hong, Jaeboong Choi and Sumio Iijima,
J. Nanosci. Nanotechnol., **11**, 470-473 (2011).
- 527) “Carbon nanohorns accelerate bone regeneration in rat calvarial bone defect”,
Takao Kasai, Sachiko Matsumura, Tadashi Iizuka, Koyotaka Shiba, Takeshi Kanamori, Masako Yudasaka,
Sumio Iijima and Atsuro Yokoyama,
Nanotechnology, **22**, 065102 (1)-(8) (2011).
- 528) “Identification of active atomic defects in a monolayered tungsten disulfide nanoribbon”,
Zheng Liu, Kazu Suenaga, Zhiyong Wang, Zujin Shi, Eiji Okunishi and Sumio Iijima,
Nature Commun., **2**, 1224 (1)-(5) (2011).
- 529) “Coaxially stacked coronene columns inside single-walled carbon nanotubes”,
Toshiya Okazaki, Yoko Iizumi, Shingo Okubo, Hiromichi Kataura, Zheng Liu, Kazu Suenaga, Yoshio
Tahara, Masako Yudasaka, Susumu Okada and Sumio Iijima,
Angew. Chem., Int. Ed. **50**, 4853-4857 (2011).
- 530) “Confinement in carbon nanospace-induced production of KI nanocrystals of high-pressure phase”,
Koki Urita, Yuichi Shiga, Toshihiko Fujimori, Taku Iiyama, Yoshiyuki Hattori, Hirofumi Kanoh, Tomonori
Ohba, Hideki Tanaka, Masako Yudasaka, Sumio Iijima, Isamu Moriguchi, Fujio Okino, Morinobu Endo and
Katsumi Kaneko,
J. Am. Chem. Soc., **133**, 10344-10347 (2011).
- 531) “Confined water inside single-walled carbon nanotubes: Global phase diagram and effect of finite length”,
Haruka Kyakuno, Kazuyuki Matsuda, Hitomi Yahiro, Yu Inami, Tomoko Fukuoka, Yasumitsu Miyata,
Kazuhiro Yanagi, Yutaka Maniwa, Hiromichi Kataura, Takeshi Saito, Motoo Yumura and Sumio Iijima,
J. Chem. Phys., **134**, 244501 (1)-(14) (2011).
- 532) “Histological assessments for toxicity and functionalization-dependent biodistribution of carbon nanohorns”,
Yoshio Tahara, Jin Miyawaki, Minfang Zhang, Mei Yang, Iwao Waga, Sumio Iijima, Hiroshi Irie and
Masako Yudasaka,
Nanotechnology, **22**, 265106 (1)-(8) (2011).
- 533) “Selective extraction of large-diameter single-wall carbon nanotubes with specific chiral indices by poly (9,
9-dioctylfluorene-alt-benzothiadiazole)”,
Masayoshi Tange, Toshiya Okazaki and Sumio Iijima.
J. Am. Chem. Soc., **133**, 11908-11911 (2011).
- 534) “A soluble hybrid material combining carbon nanohorns and C₆₀”,
Maria Vizuete, Maria Jose Gomez-Escalonilla, G. J. L., Masako Yudasaka, Sumio Iijima, Maida Vartanian,
Julien Iehl, Jean-Francois Nierengarten, Fernando Langa,
Chem. Commun., **47**, 12771-12773 (2011).
- 535) “Single-walled carbon nanohorns as drug carriers: adsorption of prednisolone and anti-inflammatory effects
on arthritis”,
Maki Nakamura, Yoshio Tahara, Yuzuru Ikehara, Tatsuya Murakami, Kunihiro Tsuchida, Sumio Iijima,
Iwao Waga, Masako Yudasaka,
Nanotechnology, **22**, 465102 (1)-(8) (2011).
- [2012]
- 536) “CO₂ adsorption on dahlia-like carbon nanohorns: Isosteric heat and surface area measurements”,
Vaiva Krungleviciute, Aldo D. Migone, Masako Yudasaka and Sumio Iijima,
J. Phys. Chem. C, **116**, 306-310 (2012).
- 537) “Lysosomal membrane destabilization induced by high accumulation of single-walled carbon nanohorns in
murine macrophage RAW 264.7”,

Yoshio Tahara, Maki Nakamura, Mei Yang, Minfang Zhang, Sumio Iijima and Masako Yudasaka, *Biomaterials*, **33**, 2762-2769 (2012).

- 538) “Buffer gas optimization in CO₂ laser ablation for structure control of single-wall carbon nanohorn aggregates”,
Ryota Yuge, Masako Yudasaka, Kiyohiko Toyama, Takashi Yamaguchi, Sumio Iijima and Takashi Manako, *Carbon*, **50**, 1925-1933 (2012).
- 539) “A roll-to-roll microwave plasma chemical vapor deposition process for the production of 294 mm width graphene films at low temperature”,
Takatoshi Yamada, Masatou Ishihara, Jaeho Kim, Masataka Hasegawa and Sumio Iijima, *Carbon*, **50**, 2615-2619 (2012).
- 540) “Abundant oxygenated groups at hole edges of carbon nanotubes increase quantity of materials confined by thermal hole closing”,
Michiko Irie, Maki Nakamura, Ryota Yuge, Sumio Iijima and Masako Yudasaka, *J. Phys. Chem. C*, **116**, 12886-12889 (2012).
- 541) “Photothermic regulation of gene expression triggered by laser-induced carbon nanohorns”,
Eijiro Miyako, Tomonori Deguchi, Yoshihiro Nakajima, Masako Yudasaka, Yoshihisa Hagihara, Masanori Horie, Mototada Shichiri, Yuriko Higuchi, Fumiyoshi Yamashita, Mitsuru Hashida et al., *Proc. Natl. Acad. Sci. U. S. A.* **109**, 7523-7528 (2012).
- 542) “Single-walled carbon nanotubes synthesis on SiO₂/Si substrates at very low pressures by the alcohol gas source method using a Pt catalyst”,
Yoshihiro Mizutani, Naoya Fukuoka, Shigeya Naritsuka, Takahiro Maruyama and Sumio Iijima, *Diamond Relat. Mater.*, **26**, 78-82 (2012).
- 543) “Small-sized carbon nanohorns enabling cellular uptake control”,
Minfang Zhang, Xin Zhou, Sumio Iijima and Masako Yudasaka, *Small*, **8**, 2524-2531 (2012).
- 544) “Helicity in ropes of chiral nanotubes: calculations and observation”,
David Teich, Gotthard Seifert, Sumio Iijima and David Tomanek, *Phys. Rev. Lett.*, **108**, 235501(1)-(5) (2012).
- 545) “Low-temperature synthesis of single-walled carbon nanotubes in a high vacuum using Pt catalyst in alcohol gas source method”,
Naoya Fukuoka, Yoshihiro Mizutani, Shigeya Naritsuka, Takahiro Maruyama and Sumio Iijima, *Jpn. J. Appl. Phys.*, **51**, 06FD23/1-06FD23/4 (2012).
- 546) “Single-walled carbon nanotubes growth in high vacuum using Pt catalyst in alcohol gas source method”,
Takahiro Maruyama, Yoshihiro Mizutani, Shigeya Naritsuka and Sumio Iijima, *Mater. Express.*, **1**, 267-272 (2011).
- 547) “Cooperative adsorption of supercritical CH₄ in single-walled carbon nanohorns for compensation of nanopore potential”,
Tomonori Ohba, Katsumi Kaneko, Masako Yudasaka, Sumio Iijima, Atsushi Takase and Hirofumi Kanoh, *J. Phys. Chem. C*, **116**, 21870-21873 (2012).
- 548) “Atomic imaging and spectroscopy of low-dimensional materials with interrupted periodicities”,
Kazu Suenaga, Kotone Akiyama-Hasegawa, Yoshiko Niimi, Haruka Kobayashi, Midori Nakamura, Zheng Liu, Yuta Sato, Masanori Koshino and Sumio Iijima, *J. Electron Microsc.*, **61**, 285-291 (2012).
- 549) “Weak response of metallic single-walled carbon nanotubes to C₆₀ encapsulation studied by resonance raman spectroscopy”,
Soon-Kil Joung, Toshiya Okazaki, Susumu Okada and Sumio Iijima, *J. Phys. Chem. C*, **116**, 23844-23850 (2012).
- 550) “Selective extraction of semiconducting single-wall carbon nanotubes by poly (9, 9-dioctylfluorene-alt-pyridine) for 1.5μm emission”,

Masayoshi Tange, Toshiya Okazaki and Sumio Iijima,
ACS Appl. Mater. Interfaces, **4**, 6458-6462 (2012).

[2013]

- 551) “A high poly (ethylene glycol) density on graphene nanomaterials reduces the detachment of lipid-poly (ethylene glycol) and macrophage uptake”,
Mei Yang, Momoyo Wada, Minfang Zhang, Kostas Kostarelos, Ryota Yuge, Sumio Iijima, Mitsutoshi Masuda and Masako Yudasaka,
Acta Biomater., **9**, 4744-4753 (2013).
- 552) “Size-dependent biodistribution of carbon nanohorns in vivo”,
Minfang Zhang, Takashi Yamaguchi, Sumio Iijima and Masako Yudasaka,
Nanomedicine: Nanotechnology, Biotechnology and Medicine, **9**, 657-664 (2013).
- 553) “Electron density modification of single wall carbon nanotubes (SWCNT) by liquid-phase molecular adsorption of hexaiodobenzene”,
Mingxia Lu, Tomonori Ohba, Katsumi Kaneko, Kenji Hata, Motoo Yumura, Sumio Iijima, Hiroto Komatsu, Akira Sakuma and Hirofumi Kanoh,
Materials, **6**, 535-543 (2013).
- 554) “Effect of carbon nanohorns on nanofriction and wear reduction in dry and liquid environments”,
Dave Maharaj, Bharat Bhushan and Sumio Iijima,
J. Colloid Interface Sci., **400**, 147-160 (2013).
- 555) “Mechanism of cell interactions with water-dispersed carbon nanohorns”,
Tatsuya Murakami, Masashi Nakatani, Masanori Kokubo, Hirotaka Nakatsuji, Mami Inada, Hiroshi Inahori, Masako Yudasaka, Sumio Iijima and Kunihiro Tsuchida,
Nanosci. Nanotechnol. Lett., **5**, 402-407 (2013).
- 556) “Graphite-like thin sheets with even-numbered layers”,
Maki Nakamura, Takazumi Kawai, Michiko Irie, Ryota Yuge, Sumio Iijima, Shunji Bandow and Masako Yudasaka,
Carbon, **61**, 644-647 (2013).
- 557) “Benzene cycloaddition onto carbon nanohorns”,
Demetrios Chronopoulos, Nikolaos Karousis, Toshinari Ichihashi, Masako Yudasaka, Sumio Iijima and Nikos Tagmatarchis,
Nanoscale, **5**, 6388-6394 (2013).
- 558) “Neon and CO₂ adsorption on open carbon nanohorns”,
Vaiva Krungleviciute, Carl A. Ziegler, Shree R. Banjara, Masako Yudasaka, Sumio Iijima and Aldo D. Migone,
Langmuir, **29**, 9388-9397 (2013).
- 559) “Low-temperature single-walled carbon nanotubes growth from Pt catalyst using alcohol gas source method in high vacuum”,
Hiroki Kondo, Naoya Fukuoka, Ranajit Ghosh, Shigeya Naritsuka, Takahiro Maruyama and Sumio Iijima,
Jpn. J. Appl. Phys., **52**, 06GD02/1-06GD02/4 (2013).
- 560) “Self-assembled carbon nanotubes honeycomb networks using a butterfly wing template as a multifunctional nanobiohybrid”,
Eijiro Miyako, Takushi Sugino, Toshiya Okazaki, Alberto Bianco, Masako Yudasaka and Sumio Iijima,
ACS Nano, **7**, 8736-8742 (2013).
- 561) “Structural modeling of dahlia-type single-walled carbon nanohorn aggregates by molecular dynamics”,
L. Hawelek, A. Brodka, John C. Dore, Alex C. Hannon, S. Iijima, M. Yudasaka, T. Ohba, J. Kaneko, A. Burian,
J. Phys. Chem. A, **117**, 9057-9061 (2013).
- 562) “Carboxylation of thin graphitic sheets is faster than that of carbon nanohorns”,
Naki Nakamura, Miciko Irie, Ryota Yuge, Toshinari Ichihashi, Sumio Iijima and Masako Yudasaka,
Phys. Chem. Chem. Phys., **15**, 16672-16675 (2013).

- 563) “Thermal-treatment-induced enhanced in effective surface area of single-walled carbon nanohorns for supercapacitor application”,
Jung Hwan Jung, Yong-Jung Kim, Jong Hun Han, Masako Yudasaka, Sumio Iijima, Hirofumi Kanoh, Yoong Ahm Kim, Katsumi Kaneko, Cheol-Ming Yang,
J. Phys. Chem. C, **117**, 25877-25883 (2013).
- [2014]
- 564) “Influence of structure-selective fluorene-based polymer wrapping on optical transitions of single-wall carbon nanotubes”,
Masayoshi Tange, Toshiya Okazaki, Sumio Iijima,
Nanoscale, **6**, 248-254 (2014).
- 565) “Gastrointestinal actions of orally-administered single-walled carbon nanohorns”,
Maki Nakamura, Yoshio Tahara, Tatsuya Murakami, Sumio Iijima, Masako Yudasaka,
Carbon, **69**, 409-416 (2014).
- 566) “Quantification of whole body and excreted carbon nanohorns intravenously injected into mice”,
Minfang Zhang, Yoshio Tahara, Mei Yang, Xin Zhou, Sumio Iijima and Masako Yudasaka,
Adv. Healthcare Mater., **3**, 239-244 (2014).
- 567) “Evidence of selective oxidation in surface layers of graphite-like thin sheets by mild oxidation”,
Maki Nakamura, Takazumi Kawai, Ryota Yuge, Shunji Bandow, Sumio Iijima and Masako Yudasaka,
Carbon, **71**, 70-75 (2014).
- 568) “Extraction of semiconducting single-walled carbon nanotubes encapsulating fullerenes by poly (9,9-dioctylfluorene-*alt*-benzothiadiazole)”,
Masayoshi Tange, Jin Kyong Kwon, Toshiya Okazaki and Sumio Iijima,
Jpn. J. Appl. Phys., **53**, 045101(1)-(3) (2014).
- 569) “Photoinduced electron transfer in a carbon nanohorn-C₆₀ conjugate”,
Maria Vizuete, Maria Jose Gomez-Escalonilla, Jose Luis G Fierro, Kei Ohkubo, Shunichi Fukuzumi, Masako Yudasaka, Sumio Iijima, Jean-Francois Nierengarten and Fernando Langa,
Chem. Sci., **5**, 2072-2080 (2014).
- 570) “Structure and electronic states of single-wall carbon nanohorns prepared under nitrogen atmosphere”,
Ryota Yuge, Shunji Bandow, Kentaro Nakahara, Masako Yudasaka, Kiyohiko Toyama, Takashi Yamaguchi, Sumio Iijima and Takashi Manako,
Carbon, **75**, 322-326 (2014).
- 571) “Comparison of the deposition behavior of charged silicon nanoparticles between floating and grounded substrates”,
Woong kyu Youn, Sung Soo Lee, Jae Yong Lee, Chan Soo Kim, Nong Moon Hwang and Sumio Iijima,
J. Phys. Chem. C, **118**, 11946-11953 (2014).
- 572) “Carbon nanohorns as a scaffold for the construction of disposable electrochemical immunosensing platforms application to the determination of fibrinogen in human plasma and urine”,
Irene Ojeda, Belit Garcinuno, Maria Moreno-Guzman, A. Gonzalez-Cortes, Masako Yudasaka, Sumio Iijima, Fernando Langa, Paloma Yanez-Sedeno, Jose M. Pingarron,
Anal. Chem. (Washington, DC, U.S.), **86**, 7749-7756 (2014).
- 573) “Lysosomal membrane permeabilization: Carbon nanohorn-induced reactive oxygen species generation and toxicity by this neglected mechanism”,
Mei Yang, Minfang Zhang, Yoshio Tahara, Svetlana Chechetka, Eijiro Miyako, Sumio Iijima and Masako Yudasaka,
Toxicol. Appl. Pharmacol., **280**, 117-126 (2014).
- 574) “Photofunctional nanomodulators for bioexcitation”,
Eijiro Miyako, Julie Russier, Matteo Mauro, Cristina Cebrian, Hiromu Yawo, Cicilia Menard-Moyon, James A. Hutchison, Masako Yudasaka, Sumio Iijima and Luisa De Colo et. al.
Angew. Chem., Int. Ed., **53**, 13121-13125 (2014).

- 575) "Ultrastructural localization of intravenously injected carbon nanohorns in tumor",
Sachiko Matsumura, Ryota Yuge, Shigeo Sato, Akihiro Tomida, Toshinari Ichihashi, Hiroshi Irie, Sumio Iijima, Kiyotaka Shiba and Masako Yudasaka,
Int. J. Nanomed., **9**, 3499-3508 (2014).
- 576) "In situ observation of step-edge in-plane growth of graphene in a STEM",
Zheng Liu, Yung-Chang Lin, Chun-Chieh Lu, Chao-Hui Yeh, Po-Wen Chiu, Sumio Iijima and Kazu Suenaga,
Nat. Commun., **5**, 4055 (2014).
- [2015]
- 577) "Photothermal conversion of carbon nanohorns enhancing caprolactone polymerization",
Mei Yang, Minfang Zhang, Masao Kunioka, Ryota Yuge, Toshinari Ichihashi, Sumio Iijima and Masako Yudasaka,
Carbon, **83**, 15-20 (2015).
- 578) "Biodegradation of carbon nanohorns in macrophage cells",
Minfang Zhang, Mei Yang, Cyrill Bussy, Sumio Iijima, Kostas Kostarelos and Masako Yudasaka,
Nanoscale, **7**, 2834-2840 (2015).
- 579) "Effect of the size and position of ion-accessible nanoholes on the specific capacitance of single-walled carbon nanohorns for supercapacitor applications",
Chole-Min Yang, Yong-Jung Kim, Jin Miyawaki, Yoong Ahm Kim, Masako Yudasaka, Sumio Iijima and Katsumi Kaneko,
J. Phys. Chem C, **119**, 2935-2940 (2015).
- 580) "Evaluation of carbon nanopores using large molecular probes in grand canonical monte carlo simulations and experiments",
Tomonori Ohba, Shotaro Yamamoto, Atsushi Takase, Masako Yudasaka and Sumio Iijima,
Carbon, **88**, 133-138 (2015).
- 581) "Covalent decoration onto the outer walls of double walled carbon nanotubes with perylenediimides",
Myriam Barrejon, Sara Pla, Isadora Berlanga, Maria Gomez-Escalonilla, Luis Martin-Gomiz, Jose Luis Fierro, Mingfang Zhang, Masako Yudasaka, Sumio Iijima,
J. Mater. Chem. C, **3**, 4960-4969 (2015).
- 582) "Synthesis of single-walled carbon nanotubes on graphene layers",
Ranajit Ghosh, Takahiro Maruyama, Hiroki Kondo, Koji Kimoto, Takuro Nagai and Sumio Iijima,
Chem. Commun., **51**, 8974-8977 (2015).
- 583) "Measurements of the transport gap in semiconducting multiwalled carbon nanotubes with varying diameter and length",
D. Mtsuko, A. Koshio, M. Yudasaka, S. Iijima and M. Ahlskog,
Phys. Rev. B, **91**, 195426 (1)-(8) (2015).
- 584) "Not nanocarbon but dispersant induced abnormality in lysosome in macrophages in vivo",
Masako Yudasaka, Minfang Zhang, Sachiko Matsumura, Ryota Yuge, Toshinari Ichihashi, Hiroshi Irie, Kiyotaka Shiba, Sumio Iijima,
Nanotechnology, **26**, 1-10 (2015).
- 585) "Preparation and functionalization of boron nitride containing carbon nanohorns for boron neutron capture therapy",
Yoko Iizumi, Toshiya Okazaki, Minfang Zhang, Ryota Yuge, Toshinari Ichihashi, Maki Nakamura, Yuzuru Ikehara, Sumio Iijima and Masako Yudasaka,
Carbon, **93**, 595-603 (2015).
- 586) "Characterization of inorganic nanomaterials as therapeutic vehicles",
Tatsuya Murakami, Masako Yudasaka, Sumio Iijima, Kunihiro Tsuchida,
Recent Advances in Medicinal Chemistry, **1**, 79-98 (2014).
- 587) "Peripheral versus axial substituted phthalocyanine-double-walled carbon nanotubes hybrids as light harvesting systems",

Luis M Arellano, Luis Martin-Gomis, Habtom B Gobeze, Myriam Barrejon, Desire Molina, Maria J Gomez-Escalonilla, Jose Luis G Fierro, Minfang Zhang, Masako Yudasaka, Sumio Iijima et.al, *J. Mater. Chem. C*, **3**, 10215-10224 (2015).

- 588) “Measurements of the transport gap in semiconducting multiwalled carbon nanotubes with varying diameter and length”,
D. Mtsuko, A. Koshio, M. Yudasaka, S. Iijima and M. Ahlskog,
Phys. Rev. B, **91**, 195426(1)-(8) (2015).

[2016]

- 589) “Single-walled carbon nanotube synthesis using Pt catalysts under low ethanol pressure via cold-wall chemical vapor deposition in high vacuum”,
Takahiro Maruyama, Hiroki Kondo, Ranajit Ghosh, Akinari Kozawa, Shigeoya Naritsuka, Yoko Iizumi, Toshiya Okazaki, Sumio Iijima,
Carbon, **96**, 6-13 (2016).
- 590) “Preparation of small-sized graphene oxide sheets from carbon nanohorns and their biological applications”,
Minfang Zhang, Toshiya Okazaki, Yoko Iizumi, Eijiro Miyako, Ryota Yuge, Shunji Bandow, Sumio Iijima,
J. Mater. Chem. B, **4**, 121-127 (2016).
- 591) “Synthesis, characterization and photoinduced charge separation of carbon nanohorn-oligothiophenevinylene hybrids”,
Maria Vizuete, Maria J. Gomez-Escalonilla, Myriam Barrejon, Jose Luis G. Fierro, Minfang Zhang, Masako Yudasaka, Sumio Iijima, Pedro Atienzar, Hermenegildo Garcia, Fernando Langa,
Phys. Chem. Chem. Phys., **18**, 1828-1837 (2016).
- 592) “Postsynthesis of h-BN/Graphene Heterostructures Inside a STEM”,
Zheng Liu, Luiz H. G. Tizei, Yohei Sato, Yung-Chang Lin, Chao-Hui Yeh, Po-Wen Chiu, Masami Terauchi, Sumio Iijima and Kazu Suenaga,
Small, **12**, 252-259 (2016).
- 593) “Quantitative analyses of PEGylated phospholipids adsorbed on single walled carbon nanohorns by high resolution magic angle spinning 1H NMR”,
Masaru Aoyagi, Masako Yudasaka, Hiroyuki Minamikawa, Masumi Asakawa Mitsutoshi Masuda, Toshimi Shimizu and Sumio Iijima,
Carbon, **101**, 213-217 (2016).
- 594) “Room-temperature Y-type emission of perylenes by encapsulation within single-walled carbon nanotubes”,
Masayoshi Tange, Toshiya Okazaki, Zheng Liu, Kazu Suenaga and Sumio Iijima,
Nanoscale, **8**, 7834-7839 (2016).
- 595) “Ethane adsorption on aggregates of dahlia-like nanohorns: experiments and computer simulations”,
Brice A. Russell, Aldo D. Migone, Justin Petucci, Calbi M. Mercedes, Masako Yudasaka and Sumio Iijima,
Phys. Chem. Chem. Phys., **18**, 15436-15446 (2016).
- 596) “Ultrafast electron transfer in all-carbon-based SWCNT-C60 donor-acceptor nanoensembles connected by poly(phenylene-ethynylene) spacers”,
Myriam Barrejon, Habtom B. Gobeze, Maria J. Gomez-Escalonilla, Jose Luis G. Fierro, Minfang Zhang, Masako Yudasaka, Sumio Iijima, Francis D’Souza and Fernando Langa,
Nanoscale, **8**, 14716-14724 (2016).
- 597) “Carbon nanohorns allow acceleration of osteoblast differentiation via macrophage activation”,
Eri Hirata, Eijiro Miyako, Nobutaka Hanagata, Natsumi Ushijima, Norihito Sakaguchi, Julie Russier, Masako Yudasaka, Sumio Iijima, Alberto Bianco and Atsuro Yokoyama,
Nanoscale, **8**, 14514-14522 (2016).
- 598) “Sorption kinetics on open carbon nanohorn aggregates: the effect of molecular diameter”,
Brice A. Russell, Pravin Khanal, Maria M. Calbi, Masako Yudasaka, Sumio Iijima, Aldo D. Migone,
Molecules, **21**, 521/1-521/11 (2016).
- 599) “One-dimensional nanowires of pseudoboehmite (aluminum oxyhydroxide γ -ALOOH)”,
Sumio Iijima, Takashi Yumura, Zheng Liu,
Proc. Natl. Acad. Sci. U. S. A., **113**, 11759-11764 (2016).

600) “Radiolabeling, whole-body single photon emission computed tomography/computed tomography imaging, and pharmacokinetics of carbon nanohorns in mice”,
Minfang Zhang, Dhifaf A. Jasim, Cecillia Menard-Moyon, Antonio Nunes, Sumio Iijima, Alberton Bianco, Masako Yudasaka, Kostas Kostarelos,
Int. J. NanoMedicine., **11**, 3317-3330 (2016).

[2017]

601) “Boron – and nitrogen-doped single-walled carbon nanohorns with graphite-like thin sheets prepared by CO₂ laser ablation method”,
Ryota Yuge, Shunji Bandow, Masako Yudasaka, Koyohiko Toyama, Sumio Iijima, Takashi Manako,
Carbon, **111**, 675-680 (2017).

602) “Electrochemical immunosensor for the determination of 8-isoprostane aging biomarker using carbon nanohorns-modified disposable electrodes”,
E. Sanchez-Tirado, A. Gonzalez-Cortes, M. Yudasaka, S. Iijima, F. Langa, P. Yanez-Sedeno, J. M. Pingarron,
J. Electroanal. Chem., **793**, 197-202 (2017).

603) “Low temperature growth of single-walled carbon nanotubes from Rh catalysts”,
Takahiro Maruyamaota, Akinari Kozawa, Takahiro Saida, Shigeya Naritsuka, Sumio Iijima,
Carbon, **116**, 128-132 (2017).

604) “Significance of optimization of phospholipid poly(ethylene glycol) quantity for coating carbon nanohorns to achieve low cytotoxicity”,
Maki Nakamura, Yoshio Tahara, Shinsuke Fukata, Minfang Zhang, Mei Yang, Sumio Iijima and Masako Yudasaka
Bull. Chem. Soc. Jpn, **90**, 662-666 (2017).

[2018]

605) “Size-dependent cell uptake of carbon nanotubes by macrophages: A comparative and quantitative study”,
Minfang Zhang, Mei Yang, Takahiro Morimoto, Naoko Tajima, Kayo Ichiraku, Katsuhide Fujita, Sumio Iijima and Masako Yudasaka and Toshiya Okazaki
Carbon, **127**, 93-101 (2018).

606) “Immobilization of a carbon nanomaterial-based localized drug-release system using a bispecific material-binding peptide”,
Katsutoshi Kokubun, Sachiko Matsumura, Masako Yudasaka, Sumio Iijima and Kiyotaka Shiba
Int. J. NanoMedicine., **13**, 1643-1652 (2018).

[2019]

607) “A simple method for removal of carbon nanotubes from wastewater using hypochlorite”,
Minfang Zhang, Yinmei Deng, Mei Yang, Hideaki Nakajima, Masako Yudasaka, Sumio Iijima and Toshiya Okazaki
Scientific Reports, **9**, 1-7 (2019).

608) “Diameter-dependent degradation of 11 types of carbon nanotubes: safety implications”,
Minfang Zhang, Mei Yang, Hideaki Nakajima, Masako Yudasaka, Sumio Iijima and Toshiya Okazaki
ACS Appl. Nano. Mater., **2**, 4293-4301 (2019).

609) “Time-dependent degradation of carbon nanotubes correlates with decreased reactive oxygen species generation in macrophages”,
Mei Yang, Minfang Zhang, Hideaki Nakajima, Masako Yudasaka, Sumio Iijima and Toshiya Okazaki
Int. J. Nanomed., **14**, 2797-2807 (2019).

[2020]

610) “Vertically aligned growth of small-diameter single-walled carbon nanotubes by alcohol catalytic chemical vapor deposition with Ir catalyst”,
Takahiro Maruyama, Takuya Okada, Kamal Prasad Sharma, Tomoko Suzuki, Takahiro Saida, Shigeya Naritsuka, Yoko Iizumi, Toshiya Okazaki, Sumio Iijima
Appl. Surf. Sci., **509**, 145340 (2020).

[2021]

- 611) “Carbon nanohorn coating by electrodeposition accelerate bone formation on titanium implant”,
Sari Takada, Eri Hirata, Masatoshi Sakairi, Eijiro Miyako, Yuta Takano, Natsumi Ushijima, Masako Yudasaka, Sumio Iijima
Artif. Cell. Nanomed. Biotech., **49**, 20-29 (2021).
- 612) “Atomic resolution imaging of cation ordering in niobium-tungsten complex oxides”,
Sumio Iijima, Wenhui Yang, Syo Matsumura and Ichiro Ohnishi
Comm. Mater., **24**, 1-9 (2021).
- 613) “Atomic-resolution STEM-EDS studies of cation ordering in Ti-Nb oxide crystals”,
Sumio Iijima, Ichiro Ohnishi and Zheng Liu
Scientific Reports, **11**, 1-11 (2021).